

Sappi North America

Stock Book



Effective 03.23

sappi

This Stock Book provides product details and stocking information for McCoy, Spectro, Opus, Somerset, Flo, Galerie, and EuroArt Plus. The information is accurate at the time of publication (indicated by effective dates on each page) and is subject to change.

For SMO items, please consult your customer service representative. Visit sappi.com for the most up-to-date product information.

Specification Guide

McCoy—Sheets

FINISH	TEXT OR COVER	BASIS WEIGHT (lb/gsm)	BRIGHTNESS STD.	OPACITY STD.	GLOSS STD.	CALIPER AVG.	GUAR. CALIPER	PPI	THICKNESS (microns)	L*a*b* PAPER WHITE ¹
Gloss	Text	80/118	96	95.0	72	.0037		540	94	95.90, 2.70, -7.30
		100/148	96	96.5	72	.0045		444	114	95.90, 2.70, -7.30
	Cover	80/216	96	98.5	72	.0069		290	175	95.90, 2.70, -7.30
		100/270	96	99.0	72	.0090		222	229	95.90, 2.70, -7.30
		120/325	96	99.0	72	.0110		182	279	95.90, 2.70, -7.30
Silk	Text	80/118	96	95.0	43	.0041		488	104	95.90, 2.70, -7.30
		100/148	96	96.5	43	.0050		404	127	95.90, 2.70, -7.30
	Cover	80/216	96	98.5	43	.0076		262	193	95.90, 2.70, -7.30
		100/270	96	99.0	43	.0098		204	249	95.90, 2.70, -7.30
		120/325	96	99.0	43	.0120		166	305	95.90, 2.70, -7.30
		130/352	96	99.0	43	.0132		152	335	95.90, 2.70, -7.30
Matte	Text	80/118	96	95.0	25	.0044		454	112	95.90, 2.70, -7.30
		100/148	96	96.5	25	.0056		356	142	95.90, 2.70, -7.30
	Cover	80/216	96	98.5	25	.0085		234	216	95.90, 2.70, -7.30
		100/270	96	99.0	25	.0106		188	269	95.90, 2.70, -7.30

McCoy—Gift Card

FINISH	TEXT OR COVER	BASIS WEIGHT (lb/gsm)	BRIGHTNESS STD.	OPACITY STD.	GLOSS STD.	CALIPER AVG.	GUAR. CALIPER	PPI	THICKNESS (microns)	L*a*b* PAPER WHITE ¹
Silk	Cover	288/780	96	99.0	43	.0280		68	748	95.90, 2.70, -7.30

1 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

McCoy—Web

FINISH	TEXT OR COVER	BASIS WEIGHT (lb/gsm)	BRIGHTNESS STD.	OPACITY STD.	GLOSS STD.	CALIPER AVG.	GUAR. CALIPER	PPI	THICKNESS (microns)	L*a*b* PAPER WHITE ¹
Gloss	Text	80/118	96	95.0	72	.0037		540	94	95.90, 2.70, -7.30
		100/148	96	96.5	72	.0048		414	122	95.90, 2.70, -7.30
	Cover	80/216	96	98.5	72	.0070		286	178	95.90, 2.70, -7.30
Silk	Text	80/118	96	95.0	43	.0041		488	104	95.90, 2.70, -7.30
		100/148	96	96.5	43	.0053		376	135	95.90, 2.70, -7.30
	Cover	80/216	96	98.5	43	.0076		262	193	95.90, 2.70, -7.30
Matte	Text	80/118	96	95.0	25	.0045		444	114	95.90, 2.70, -7.30
		100/148	96	96.5	25	.0058		344	147	95.90, 2.70, -7.30
	Cover	80/216	96	98.5	25	.0085		234	216	95.90, 2.70, -7.30

McCoy—Digital and McCoy—Digital for HP Indigo

FINISH	TEXT OR COVER	BASIS WEIGHT (lb/gsm)	BRIGHTNESS STD.	OPACITY STD.	GLOSS STD.	CALIPER AVG.	GUAR. CALIPER	PPI	THICKNESS (microns)	L*a*b* PAPER WHITE ¹
Gloss	Text	80/118	96	95.0	72	.0037		540	94	95.90, 2.70, -7.30
		100/148	96	96.5	72	.0045		444	114	95.90, 2.70, -7.30
	Cover	80/216	96	98.5	72	.0069		290	175	95.90, 2.70, -7.30
		100/270	96	99.0	72	.0090		222	229	95.90, 2.70, -7.30
		120/325	96	99.0	72	.0110		182	279	95.90, 2.70, -7.30
Silk	Text	80/118	96	95.0	43	.0041		488	104	95.90, 2.70, -7.30
		100/148	96	96.5	43	.0050		404	127	95.90, 2.70, -7.30
	Cover	80/216	96	98.5	43	.0076		262	193	95.90, 2.70, -7.30
		100/270	96	99.0	43	.0098		204	249	95.90, 2.70, -7.30
		120/325	96	99.0	43	.0120		166	305	95.90, 2.70, -7.30

1 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Specification Guide

Spectro C1S

CALIPER (mils)	THICKNESS (microns)	TAG WEIGHT 24" x 36"	COVER WEIGHT 20" x 26"	GSM	GLOSS	SMOOTHNESS	BRIGHTNESS	L*a*b* PAPER WHITE
8	203	109	66	177	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
10	254	120	72	195	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
12	305	141	85	230	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
14	356	158	95	257	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
16	407	177	106	288	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
18	457	193	116	314	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
20	508	206	124	335	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
24	610	243	146	396	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²

Spectro C1S—Digital and Digital for HP Indigo

CALIPER (mils)	THICKNESS (microns)	TAG WEIGHT 24" x 36"	COVER WEIGHT 20" x 26"	GSM	GLOSS	SMOOTHNESS	BRIGHTNESS	L*a*b* PAPER WHITE
10	254	120	72	195	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
12	305	141	85	230	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
14	356	158	95	257	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
16	407	177	106	288	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²

1 CIE L*a*b* values are approximate and stated with UV included, according to ISO 5631-2:2015 guidelines. The color measurement methodology incorporates CIE standard illuminant D65 (simulated), 10° Standard Observer, and d/0° illumination/measurement geometry. Average CIE L*a*b* data are presented for relative paperboard shade comparisons—not as product specifications.

2 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paperboard shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Spectro C2S

CALIPER (mils)	THICKNESS (microns)	TAG WEIGHT 24" x 36"	COVER WEIGHT 20" x 26"	GSM	GLOSS	SMOOTHNESS	BRIGHTNESS	L*a*b* PAPER WHITE
8	203	124	75	202	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
10	254	145	87	236	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
12	305	171	103	278	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
14	356	196	119	319	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
16	407	217	132	353	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²

Spectro C2S—Digital and Digital for HP Indigo

CALIPER (mils)	THICKNESS (microns)	TAG WEIGHT 24" x 36"	COVER WEIGHT 20" x 26"	GSM	GLOSS	SMOOTHNESS	BRIGHTNESS	L*a*b* PAPER WHITE
10	254	145	87	236	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
12	305	171	103	278	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
14	356	196	119	319	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²
16	407	217	132	353	50	1.0	92	95.00, 0.70, -6.30 ¹ 95.60, 1.06, -3.38 ²

1 CIE L*a*b* values are approximate and stated with UV included, according to ISO 5631-2:2015 guidelines. The color measurement methodology incorporates CIE standard illuminant D65 (simulated), 10° Standard Observer, and d/0° illumination/measurement geometry. Average CIE L*a*b* data are presented for relative paperboard shade comparisons—not as product specifications.

2 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paperboard shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Specification Guide

Opus—Sheets

FINISH	TEXT OR COVER	BASIS WEIGHT (lb/gsm)	BRIGHTNESS STD.	OPACITY STD.	GLOSS STD.	CALIPER AVG.	GUAR. CALIPER	PPI	THICKNESS (microns)	L*a*b* PAPER WHITE ¹
Gloss	Text	70/104	94	92.5	72	.0031		638	79	96.20, 1.45, -4.85
		80/118	94	93.5	72	.0035		570	89	96.20, 1.45, -4.85
		100/148	94	96.0	72	.0044		454	112	96.20, 1.45, -4.85
	Cover	65/176	94	97.0	72	.0056		356	142	96.20, 1.45, -4.85
		80/216	94	98.0	72	.0068		294	173	96.20, 1.45, -4.85
		100/270	94	99.0	72	.0090		222	229	96.20, 1.45, -4.85
		120/325	94	99.0	72	.0111		180	282	96.20, 1.45, -4.85
		130/352	94	99.0	72	.0121		164	307	96.20, 1.45, -4.85
Dull	Text	70/104	94	92.5	47	.0033		602	84	96.20, 1.45, -4.85
		80/118	94	94.0	47	.0037		540	94	96.20, 1.45, -4.85
		100/148	94	96.0	47	.0047		426	119	96.20, 1.45, -4.85
	Cover	65/176	94	97.5	47	.0061		330	155	96.20, 1.45, -4.85
		80/216	94	98.0	47	.0076		262	193	96.20, 1.45, -4.85
		100/270	94	99.0	47	.0100		200	254	96.20, 1.45, -4.85
		120/325	94	99.0	47	.0120		166	305	96.20, 1.45, -4.85
		130/352	94	99.0	47	.0134		148	340	96.20, 1.45, -4.85
Matte	Text	60/89	94	91.5	22	.0032		626	81	96.20, 1.45, -4.85
		70/104	94	93.5	22	.0038		526	97	96.20, 1.45, -4.85
		80/118	94	94.5	36	.0041		488	104	96.20, 1.45, -4.85
		100/148	94	97.0	36	.0053		376	135	96.20, 1.45, -4.85
	Cover	65/176	94	97.5	36	.0072	7pt ²	278	183	96.20, 1.45, -4.85

1 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

2 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.

All values listed are approximate and subject to change. Please visit *sappi.com* for the most up-to-date product specifications and available certifications.

Opus—Web

FINISH	TEXT OR COVER	BASIS WEIGHT (lb/gsm)	BRIGHTNESS STD.	OPACITY STD.	GLOSS STD.	CALIPER AVG.	GUAR. CALIPER	PPI	THICKNESS (microns)	L*a*b* PAPER WHITE ¹
Gloss	Text	60/89	92	92.0	72	.0029		688	74	95.80, 1.45, -4.00
		70/104	92	93.0	72	.0035		578	89	95.80, 1.45, -4.00
		80/118	92	94.0	72	.0039		512	99	95.80, 1.45, -4.00
	Cover	100/148	92	96.5	72	.0050		402	126	95.80, 1.45, -4.00
		65/176	92	97.0	72	.0056		356	142	95.80, 1.45, -4.00
		80/216	92	98.0	72	.0072		278	183	95.80, 1.45, -4.00
Dull	Text	60/89	92	93.0	43	.0030		658	76	95.80, 1.45, -4.00
		70/104	92	93.5	43	.0036		562	91	95.80, 1.45, -4.00
		80/118	92	95.0	43	.0042		482	107	95.80, 1.45, -4.00
	Cover	100/148	92	96.5	47	.0048		416	122	95.80, 1.45, -4.00
		65/176	92	97.5	47	.0061		328	155	95.80, 1.45, -4.00
		80/216	92	98.0	47	.0079		252	201	95.80, 1.45, -4.00
Satin	Text	60/89	92	93.0	40	.0030		658	76	95.80, 1.45, -4.00
		70/104	92	94.0	40	.0036		562	91	95.80, 1.45, -4.00
		80/118	92	95.0	40	.0042		482	107	95.80, 1.45, -4.00
	Cover	100/148	92	96.5	40	.0048		416	122	95.80, 1.45, -4.00
		65/176	92	97.5	40	.0061		328	155	95.80, 1.45, -4.00
		80/216	92	98.0	40	.0079		252	201	95.80, 1.45, -4.00
Matte	Text	60/89	92	91.5	22	.0032		626	81	95.80, 1.45, -4.00
		70/104	92	93.5	22	.0038		526	97	95.80, 1.45, -4.00
		80/118	92	95.0	36	.0041		488	104	95.80, 1.45, -4.00
	Cover	100/148	92	97.0	36	.0053		376	135	95.80, 1.45, -4.00
		65/176	92	97.5	36	.0072	7pt ²	278	183	95.80, 1.45, -4.00

1 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

2 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.

All values listed are approximate and subject to change. Please visit *sappi.com* for the most up-to-date product specifications and available certifications.

Specification Guide

Opus PS—Sheets

FINISH	TEXT OR COVER	BASIS WEIGHT (lb/gsm)	BRIGHTNESS STD.	OPACITY STD.	GLOSS STD.	CALIPER AVG.	GUAR. CALIPER	PPI	THICKNESS (microns)	L*a*b* PAPER WHITE ¹		
Gloss	Cover	70/190	94	98.0	65	.0071	7pt ²	282	180	96.20, 1.45, -4.85		
		87/235	94	98.0	65	.0092	9pt ³	218	234	96.20, 1.45, -4.85		
Matte	Text	105/155 ⁴	94	97.5	15	.0072	7pt ²	278	183	96.20, 1.45, -4.85		
	Cover	80/216	94	98.5	36	.0093	9pt ³	214	236	96.20, 1.45, -4.85		

Opus PS—Web

FINISH	TEXT OR COVER	BASIS WEIGHT (lb/gsm)	BRIGHTNESS STD.	OPACITY STD.	GLOSS STD.	CALIPER AVG.	GUAR. CALIPER	PPI	THICKNESS (microns)	L*a*b* PAPER WHITE ¹		
Gloss	Cover	70/190	92	98.0	65	.0071	7pt ²	282	180	95.80, 1.45, -4.00		
		78/210	92	98.0	65	.0080		250	203	95.80, 1.45, -4.00		
		87/235	92	98.0	65	.0092	9pt ³	218	229	95.80, 1.45, -4.00		
Dull	Cover	70/190	92	98.0	43	.0071	7pt ²	282	180	95.80, 1.45, -4.00		
		78/210	92	98.0	43	.0080		250	203	95.80, 1.45, -4.00		
		87/235	92	98.0	43	.0092	9pt ³	218	229	95.80, 1.45, -4.00		
Matte	Text	105/155 ⁴	92	97.5	15	.0072	7pt ²	278	183	95.80, 1.45, -4.00		
	Cover	80/216	92	98.5	36	.0093	9pt ³	214	236	95.80, 1.45, -4.00		

Opus—Digital and Opus—Digital for HP Indigo

FINISH	TEXT OR COVER	BASIS WEIGHT (lb/gsm)	BRIGHTNESS STD.	OPACITY STD.	GLOSS STD.	CALIPER AVG.	GUAR. CALIPER	PPI	THICKNESS (microns)	L*a*b* PAPER WHITE ¹		
Gloss	Text	80/118	94	93.5	72	.0035		570	89	96.20, 1.45, -4.85		
		100/148	94	96.0	72	.0044		454	112	96.20, 1.45, -4.85		
	Cover	80/216	94	98.0	72	.0068		294	173	96.20, 1.45, -4.85		
		100/270	94	99.0	72	.0090		222	229	96.20, 1.45, -4.85		
Dull	Text	120/325	94	99.0	72	.0111		180	282	96.20, 1.45, -4.85		
		80/118	94	94.0	47	.0037		540	94	96.20, 1.45, -4.85		
	Cover	100/148	94	96.0	47	.0047		426	119	96.20, 1.45, -4.85		
		80/216	94	98.0	47	.0076		262	193	96.20, 1.45, -4.85		
		100/270	94	99.0	47	.0100		200	254	96.20, 1.45, -4.85		
		120/325	94	99.0	47	.0120		166	305	96.20, 1.45, -4.85		

1 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

2 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.

3 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.

4 Matte Reply Card.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

1 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Specification Guide

Somerset—Web										
FINISH	TEXT OR COVER	BASIS WEIGHT (lb/gsm)	BRIGHTNESS STD.	OPACITY STD.	GLOSS STD.	CALIPER AVG.	GUAR. CALIPER	PPI	THICKNESS (microns)	L*a*b* PAPER WHITE ¹
Gloss	Text	45/67	88	89.5	70	.0022		906	56	95.00, 1.00, -2.10
		50/74	88	90.5	70	.0024		820	61	95.00, 1.00, -2.10
		55/81	88	91.5	70	.0026		758	66	95.00, 1.00, -2.10
		60/89	88	92.0	70	.0029		690	74	95.00, 1.00, -2.10
		70/104	88	93.0	70	.0034		590	86	95.00, 1.00, -2.10
		80/118	88	94.0	70	.0040		504	102	95.00, 1.00, -2.10
		100/148	88	96.0	70	.0052		382	132	95.00, 1.00, -2.10
	Cover	68/185	88	98.0	65	.0072	7pt ²	278	183	95.00, 1.00, -2.10
		80/216	88	98.0	70	.0073	7pt ²	276	185	95.00, 1.00, -2.10
		82/222	88	98.0	65	.0092	9pt ³	218	234	95.00, 1.00, -2.10
Satin	Text	45/67	88	89.5	28	.0025		806	64	95.00, 1.00, -2.10
		50/74	88	90.5	28	.0027		730	69	95.00, 1.00, -2.10
		60/89	88	93.0	30	.0031		656	79	95.00, 1.00, -2.10
		70/104	88	94.0	30	.0036		558	91	95.00, 1.00, -2.10
		80/118	88	95.0	30	.0042		478	107	95.00, 1.00, -2.10
		100/148	88	96.0	30	.0054		368	137	95.00, 1.00, -2.10
	Cover	80/216	88	97.5	43	.0075	7pt ²	268	191	95.00, 1.00, -2.10

1 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

2 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.

3 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.

All values listed are approximate and subject to change. Please visit *sappi.com* for the most up-to-date product specifications and available certifications.

Somerset—Web										
FINISH	TEXT OR COVER	BASIS WEIGHT (lb/gsm)	BRIGHTNESS STD.	OPACITY STD.	GLOSS STD.	CALIPER AVG.	GUAR. CALIPER	PPI	THICKNESS (microns)	L*a*b* PAPER WHITE ¹
Matte	Text	45/67 ²	88	91.0	18	.0026		766	66	95.00, 1.00, -2.10
		50/74 ²	88	92.0	18	.0029		700	74	95.00, 1.00, -2.10
		60/89	88	93.0	22	.0032		620	81	95.00, 1.00, -2.10
		70/104	88	94.0	22	.0038		526	97	95.00, 1.00, -2.10
		80/118	88	95.0	22	.0045		448	114	95.00, 1.00, -2.10
		100/148	88	96.0	23	.0058		346	147	95.00, 1.00, -2.10
		105/155 ³	88	97.0	15	.0071	7pt ⁴	282	180	95.00, 1.00, -2.10
	Cover	65/176	88	98.5	25	.0073	7pt ⁴	274	185	95.00, 1.00, -2.10
		80/216	88	98.5	25	.0094	9pt ⁵	214	239	95.00, 1.00, -2.10

1 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

2 Meets SIMRA/NASTA specifications.

3 Matte Reply Card.

4 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.

5 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.

All values listed are approximate and subject to change. Please visit *sappi.com* for the most up-to-date product specifications and available certifications.

Specification Guide

Flo—Sheets										
FINISH	TEXT OR COVER	BASIS WEIGHT (lb/gsm)	BRIGHTNESS STD.	OPACITY STD.	GLOSS STD.	CALIPER AVG.	GUAR. CALIPER	PPI	THICKNESS (microns)	L*a*b* PAPER WHITE ¹
Gloss	Text	70/104	90	91.5	68	.0031		638	79	95.80, 1.22, -3.25
		80/118	90	93.0	68	.0035		572	89	95.80, 1.22, -3.25
		100/148	90	96.5	68	.0043		466	109	95.80, 1.22, -3.25
	Cover	80/216	90	97.5	68	.0072	7pt ²	278	183	95.80, 1.22, -3.25
		100/270	90	99.0	68	.0093	9pt ³	214	236	95.80, 1.22, -3.25
		120/325	90	99.0	68	.0110		182	279	95.80, 1.22, -3.25
Dull	Text	70/104	90	92.0	47	.0033		612	84	95.80, 1.22, -3.25
		80/118	90	94.0	47	.0036		556	91	95.80, 1.22, -3.25
		100/148	90	96.5	47	.0047		426	119	95.80, 1.22, -3.25
	Cover	80/216	90	97.5	47	.0075	7pt ²	268	191	95.80, 1.22, -3.25
		100/270	90	99.0	47	.0099	9pt ³	202	251	95.80, 1.22, -3.25
		120/325	90	99.0	47	.0121		168	307	95.80, 1.22, -3.25
Matte	Text	60/89	90	92.0	22	.0032		626	81	95.80, 1.22, -3.25
		70/104	90	94.0	22	.0038		526	97	95.80, 1.22, -3.25
		80/118	90	94.5	36	.0041		488	104	95.80, 1.22, -3.25
		100/148	90	96.0	36	.0052		386	132	95.80, 1.22, -3.25
		110/162 ⁴	90	97.0	15	.0073	7pt ²	274	185	95.80, 1.22, -3.25
	Cover	65/176	90	98.5	36	.0072	7pt ²	278	183	95.80, 1.22, -3.25
		80/216	90	98.0	36	.0092	9pt ³	218	234	95.80, 1.22, -3.25
		100/270	90	99.0	36	.0106		190	269	95.80, 1.22, -3.25

1 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

2 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.

3 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.

4 Matte Reply Card.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo—Web										
FINISH	TEXT OR COVER	BASIS WEIGHT (lb/gsm)	BRIGHTNESS STD.	OPACITY STD.	GLOSS STD.	CALIPER AVG.	GUAR. CALIPER	PPI	THICKNESS (microns)	L*a*b* PAPER WHITE ¹
Gloss	Text	40/59	82	88.0	55	.0020		996	51	92.50, 0.82, -1.75
		45/67	82	89.5	60	.0023		882	58	92.50, 0.82, -1.75
		50/74	82	90.0	60	.0025		792	64	92.50, 0.82, -1.75
		60/89	83	92.0	60	.0029		680	74	93.40, 0.93, -1.95
		70/104	83	93.0	60	.0035		572	89	93.40, 0.93, -1.95
Matte	Text	40/59 ²	82	90.0	29	.0022		— ³	56	92.50, 0.82, -1.75
		45/67 ²	82	91.5	23	.0024		— ³	61	92.50, 0.82, -1.75
		50/74 ²	82	91.7	23	.0027		— ³	69	92.50, 0.82, -1.75

Flo—Digital										
FINISH	TEXT OR COVER	BASIS WEIGHT (lb/gsm)	BRIGHTNESS STD.	OPACITY STD.	GLOSS STD.	CALIPER AVG.	GUAR. CALIPER	PPI	THICKNESS (microns)	L*a*b* PAPER WHITE ¹
Gloss	Text	80/118	90	93.0	68	.0035		572	89	95.80, 1.22, -3.25
		100/148	90	96.5	68	.0043		466	109	95.80, 1.22, -3.25
	Cover	80/216	90	97.5	68	.0072	7pt ⁴	278	183	95.80, 1.22, -3.25
		100/270	90	99.0	68	.0093	9pt ⁵	214	236	95.80, 1.22, -3.25
		120/325	90	99.0	68	.0110		182	279	95.80, 1.22, -3.25
Dull	Text	80/118	90	94.0	47	.0036		556	91	95.80, 1.22, -3.25
		100/148	90	96.5	47	.0047		426	119	95.80, 1.22, -3.25
	Cover	80/216	90	97.5	47	.0075	7pt ⁴	268	191	95.80, 1.22, -3.25
		100/270	90	99.0	47	.0099	9pt ⁵	202	251	95.80, 1.22, -3.25
		120/325	90	99.0	47	.0121		168	307	95.80, 1.22, -3.25

1 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

2 Meets SIMRA/NASTA specifications.

3 For PPI information, please contact your Sappi sales representative.

4 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.

5 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Specification Guide

EuroArt Plus—Sheets

FINISH	TEXT OR COVER	BASIS WEIGHT (lb/gsm)	BRIGHTNESS STD.	OPACITY STD.	GLOSS STD.	CALIPER AVG.	GUAR. CALIPER	PPI	THICKNESS (microns)	L*a*b* PAPER WHITE ¹
Gloss	Text	60/90	91	92.0	65	.0028		714	70	95.00, 1.25, -5.80
		70/104	91	93.5	65	.0032		624	81	95.00, 1.25, -5.80
		80/118	92	95.0	65	.0037		540	93	95.00, 1.25, -5.80
		100/150	92	97.5	65	.0048		416	121	95.00, 1.25, -5.80
	Cover	80/216	92	99.0	65	.0074	7pt ²	270	188	95.00, 1.25, -5.80
		92/250	92	99.0	65	.0093	9pt ³	214	236	95.00, 1.25, -5.80
		100/275	92	99.0	65	.0100	9pt ³	200	253	95.00, 1.25, -5.80
		120/325	92	99.0	65	.0123		164	312	95.00, 1.25, -5.80
		130/350	92	99.5	65	.0135		148	343	95.00, 1.25, -5.80
Silk	Text	60/90	92	92.5	32	.0033		606	83	95.00, 1.25, -5.80
		70/104	92	94.0	32	.0038		526	96	95.00, 1.25, -5.80
		80/118	92	95.5	32	.0043		466	109	95.00, 1.25, -5.80
		100/150	92	98.0	32	.0054		370	138	95.00, 1.25, -5.80
	Cover	74/200	92	99.0	32	.0074	7pt ²	270	188	95.00, 1.25, -5.80
		80/216	92	99.0	32	.0093	9pt ³	214	236	95.00, 1.25, -5.80
		100/275	92	99.0	35	.0105	9pt ³	190	267	95.00, 1.25, -5.80
		120/325	92	99.0	35	.0132		152	335	95.00, 1.25, -5.80
		130/350	92	99.5	35	.0145		138	368	95.00, 1.25, -5.80

1 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

2 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.

3 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Galerie Lite—Web

FINISH	BASIS WEIGHT (lb/GSM)	GE BRIGHTNESS STD.	ISO BRIGHTNESS STD.	TAPPI OPACITY STD.	ISO OPACITY STD.	GLOSS STD.	CALIPER AVG.	PPI	L*a*b* PAPER WHITE ¹
Gloss	23.6/35	68	68	81	88	42	.0014	1430	90.00, 0.90, 2.10
	26.3/39	70	69	83	89	46	.0015	1334	90.00, 0.90, 2.10
	28.4/42	71	70	85	90	48	.0016	1250	90.00, 0.90, 2.10
	30.4/45	71	71	87	91	50	.0017	1176	90.00, 0.90, 2.10
	32.4/48	72	72	89	92	51	.0018	1110	90.00, 0.90, 2.10
	34.5/51	72	73	90	93	55	.0019	1054	90.00, 0.90, 2.10
	36.5/54	72	73	92	94	58	.0020	1000	90.00, 0.90, 2.10

Galerie Lite Bulk—Web

FINISH	BASIS WEIGHT (lb/GSM)	GE BRIGHTNESS STD.	ISO BRIGHTNESS STD.	TAPPI OPACITY STD.	ISO OPACITY STD.	GLOSS STD.	CALIPER AVG.	PPI	L*a*b* PAPER WHITE ¹
Matte	28.4/42	72	73	88	92	15	.0023	870	91.00, 0.90, 2.10
	30.4/45	73	74	89	92	15	.0025	800	91.00, 0.90, 2.10
	32.4/48	74	75	91	93	15	.0026	770	91.00, 0.90, 2.10
	34.5/51	74	75	92	94	15	.0028	714	91.00, 0.90, 2.10
	36.5/54	74	75	93	95	15	.0030	667	91.00, 0.90, 2.10

1 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Specification Guide

Galerie Brite—Web

FINISH	BASIS WEIGHT (lb/GSM)	GE BRIGHTNESS STD.	ISO BRIGHTNESS STD.	TAPPI OPACITY STD.	ISO OPACITY STD.	GLOSS STD.	CALIPER AVG.	PPI	L*a*b* PAPER WHITE ¹
Gloss	36.5/54	79	83	90	92	46	.0019	1050	92.00, 1.20, -1.20
	38.5/57	80	85	91	92	48	.0020	1000	92.00, 1.20, -1.20
	40.5/60	81	86	91	93	51	.0021	950	92.00, 1.20, -1.20
	43.9/65	81	86	92	94	55	.0022	910	92.00, 1.20, -1.20
	47.3/70	82	87	93	95	56	.0024	833	92.00, 1.20, -1.20
	54.0/80	82	87	94	96	57	.0027	740	92.00, 1.20, -1.20

Galerie Brite Plus—Web

FINISH	BASIS WEIGHT (lb/GSM)	GE BRIGHTNESS STD.	ISO BRIGHTNESS STD.	TAPPI OPACITY STD.	ISO OPACITY STD.	GLOSS STD.	CALIPER AVG.	PPI	L*a*b* PAPER WHITE ¹
Gloss	36.5/54	80	84	91	92	48	.0022	910	92.00, 1.20, -1.20
	38.5/57	81	85	91	93	48	.0024	833	92.00, 1.20, -1.20
	40.5/60	81	85	92	93	48	.0026	770	92.00, 1.20, -1.20
	43.9/65	81	85	93	95	50	.0028	714	92.00, 1.20, -1.20
	47.3/70	81	85	94	96	50	.0031	645	92.00, 1.20, -1.20

Galerie Bright Bulk—Web

FINISH	BASIS WEIGHT (lb/GSM)	GE BRIGHTNESS STD.	ISO BRIGHTNESS STD.	TAPPI OPACITY STD.	ISO OPACITY STD.	GLOSS STD.	CALIPER AVG.	PPI	L*a*b* PAPER WHITE ¹
Matte	40.5/60	82	86	92	94	15	.0028	714	93.40, 1.20, -1.70
	38.5/57	81	85	91	93	15	.0027	740	93.40, 1.20, -1.70
	43.9/65	82	87	93	94	15	.0031	645	93.40, 1.20, -1.70
	47.3/70	83	88	94	95	15	.0033	606	93.40, 1.20, -1.70
	54.0/80	83	88	95	96	15	.0038	525	93.40, 1.20, -1.70

¹ CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Galerie Fine—Web

FINISH	BASIS WEIGHT (lb/GSM)	GE BRIGHTNESS STD.	ISO BRIGHTNESS STD.	TAPPI OPACITY STD.	ISO OPACITY STD.	GLOSS STD.	CALIPER AVG.	PPI	L*a*b* PAPER WHITE ¹
Gloss	43.9/65	86	92	90	91	65	.0022	910	94.10, 2.00, -3.00
	47.3/70	88	93	91	93	65	.0023	870	94.10, 2.00, -3.00
	50.7/75	88	93	91	94	67	.0024	834	94.10, 2.00, -3.00
	54.0/80	89	94	92	94	67	.0026	770	94.10, 2.00, -3.00
	60.8/90	90	95	93	95	68	.0028	714	94.10, 2.00, -3.00
Silk	43.9/65	87	92	90	93	35	.0024	834	94.00, 2.00, -3.00
	47.3/70	88	93	91	94	35	.0026	770	94.00, 2.00, -3.00
	50.7/75	88	93	91	94.5	35	.0027	740	94.00, 2.00, -3.00
	54.0/80	89	94	92	95	35	.0029	690	94.00, 2.00, -3.00
	60.8/90	90	95	93	95	40	.0032	624	94.00, 2.00, -3.00

Galerie Fine Bulk—Web

FINISH	BASIS WEIGHT (lb/GSM)	GE BRIGHTNESS STD.	ISO BRIGHTNESS STD.	TAPPI OPACITY STD.	ISO OPACITY STD.	GLOSS STD.	CALIPER AVG.	PPI	L*a*b* PAPER WHITE ¹
Matte	43.9/65	88	92	90	93	25	.0027	740	94.30, 1.90, -3.20
	47.3/70	89	93	91	94	30	.0028	714	94.30, 1.90, -3.20
	54.0/80	90	94	92	95	30	.0031	645	94.30, 1.90, -3.20

¹ CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

We've created our fine line of coated paper products to meet the needs of any communications objective.

Product information can be found on the following pages:

19

McCoy

When experience is everything

39

Spectro

When surface and performance make the perfect match

55

Opus

When more choice means fewer decisions

89

Somerset

When strong and stunning wins the race

105

Flo

When excellence meets cost-effectiveness

125

EuroArt Plus

When you need a dream on the surface and dependability on press

McCoy



Authentic brilliance in a world of imitation.

Like their customers, high-end brands expect a legacy of craftsmanship. Clear distinction is required. Compromise does not exist. Only meticulous quality will suffice—so only McCoy® will satisfy. It's the only premium coated paper on the market, meeting the detail-obsessed needs of high-end, luxury brands. Our paper is made with superior ingredients, including our own custom coating, to ensure best-in-class brightness and image integrity—crossing the threshold from ordinary to outstanding.

Luxury paper—realized

McCoy's supreme surface enables fully saturated films of ink to maintain superb detail, from shadow to highlight. Its unrivaled luminosity can expand the range of print and create bold contrast—allowing rich, vivid images to pop off the page. Offering a one-of-a-kind finish, McCoy creates an experience that lasts.

Perfection from its genesis

McCoy is rooted in our heritage of excellence, from the meticulous selection of wood types and fiber mix to the manufacturing of our own proprietary coating. It's this unyielding attention to detail that seals in McCoy's sophistication.

Uncompromising variability tolerance

We adhere to tight tolerances for variability to ensure that McCoy provides a consistent, stunning blue-white printing surface. So when you choose McCoy, your brand is printed on the highest-quality paper that exceeds the most demanding industry standards.

Stocked basis weights

Sheets					
TEXT OR COVER	BASIS WEIGHT (lb/gsm)	GUAR. CALIPER	GLOSS	SILK	MATTE
Text	80/118		•	•	•
	100/148		•	•	•
Cover	80/216		•	•	•
	100/270		•	•	•
	120/325		•	•	
	130/352			•	

Gift Card					
TEXT OR COVER	BASIS WEIGHT (lb/gsm)	GUAR. CALIPER	GLOSS	SILK	MATTE
Cover	288/780			•	

Web					
TEXT OR COVER	BASIS WEIGHT (lb/gsm)	GUAR. CALIPER	GLOSS	SILK	MATTE
Text	80/118			•	
	100/148			•	

Digital and Digital for HP Indigo					
TEXT OR COVER	BASIS WEIGHT (lb/gsm)	GUAR. CALIPER	GLOSS	SILK	MATTE
Text	80/118		•	•	
	100/148		•	•	
Cover	65/176			• ¹	
	80/216		•	•	
	100/270		•	•	
	120/325		• ¹	• ¹	

Specifications

- FINISHES
 - Gloss, Silk, Matte
- PUT UP
 - Cartons, Skids, Reams, Rolls
- SHADE
 - Ultra bright blue white
- L*a*b PAPER WHITE²
 - 95.90, 2.70, -7.30
- RECYCLED FIBER CONTENT SHEETS
 - 10%
- RECYCLED FIBER CONTENT WEB
 - 10%
- RECYCLED FIBER CONTENT DIGITAL
 - 10%
- CERTIFICATIONS
 - SFI Certified Sourcing
 - FSC CoC certified³

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

1 McCoy Digital for HP Indigo only.

2 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

3 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

McCoy Gloss Text

80lb/118gsm

Brightness—96 Opacity—95 Paper Gloss—72 Caliper—.0037 PPI—540 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²							
Sheets							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
23 x 35	K5029	Carton	136	1100	16	17600	
25 x 38	K5074	Carton	160	1000	16	16000	
	K55040	Skid	160			10000	
28 x 40	K5081	Carton	188	800	16	12800	

Brightness—96 Opacity—95 Paper Gloss—72 Caliper—.0037 PPI—540 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²							
Digital							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
12 x 18	K11925	Carton	36	1500	40	60000	

McCoy Gloss Text

100lb/148gsm

Brightness—96 Opacity—96.5 Paper Gloss—72 Caliper—.0045 PPI—444 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²							
Sheets							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
19 x 25	K5264	Carton	100	1600	16	25600	
23 x 35	K5266	Carton	169	900	16	14400	
	K54722	Skid	169			8000	
25 x 38	K5271	Carton	200	800	16	12800	
	K54715	Skid	200			8000	
28 x 40	K5319	Carton	236	600	16	9600	
	K54717	Skid	236			8000	

Brightness—96 Opacity—96.5 Paper Gloss—72 Caliper—.0045 PPI—444 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²							
Digital							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
12 x 18	K11926	Carton	45	1200	40	48000	

Brightness—96 Opacity—96.5 Paper Gloss—72 Caliper—.0045 PPI—444 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²							
Digital for HP Indigo							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
12 x 18	K11882	Carton	45	1200	40	48000	
13 x 19	K11744	Carton	52	1000	36	36000	
29½ x 20 ¹³ / ₁₆	K13064	Carton	129	800	20	16000	

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 McCoy is sold standard with 10% recycled fiber.
- 2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 McCoy is sold standard with 10% recycled fiber.
- 2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

McCoy Gloss Cover

80lb/216gsm

Brightness—96
Opacity—98.5
Paper Gloss—72
Caliper—.0069
PPI—290
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
19 x 25	K3653	Carton	146	1100	16	17600
20 x 26	K3654	Carton	160	1000	16	16000
23 x 35	K3655	Carton	248	625	16	10000
25 x 38	K3659	Carton	292	500	16	8000
	K53660	Skid	292			5500
26 x 40	K3661	Carton	320	500	16	8000
	K53663	Skid	320			5500
28 x 40	K3668	Carton	344	400	16	6400
	K53671	Skid	344			5500

Brightness—96
Opacity—98.5
Paper Gloss—72
Caliper—.0069
PPI—290
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
18 x 12	K11927	Carton	66	750	40	30000

Brightness—96
Opacity—98.5
Paper Gloss—72
Caliper—.0069
PPI—290
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
18 x 12	K11883	Carton	66	750	40	30000
19 x 13	K11745	Carton	76	750	36	27000
20 ¹³ / ₁₆ x 29 ¹ / ₂	K13065	Carton	189	500	20	10000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at [sappi.com/RF](https://www.sappi.com/RF).

- 1 McCoy is sold standard with 10% recycled fiber.
- 2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit [sappi.com](https://www.sappi.com) for the most up-to-date product specifications and available certifications.

McCoy Gloss Cover

100lb/270gsm

Brightness—96
Opacity—99
Paper Gloss—72
Caliper—.0090
PPI—222
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
19 x 25	K3677	Carton	183	875	16	14000
20 x 26	K3678	Carton	200	750	16	12000
23 x 35	K3679	Carton	310	500	16	8000
	K53680	Skid	310			4000
25 x 38	K3682	Carton	366	375	16	6000
	K53683	Skid	366			4000
26 x 40	K3684	Carton	400	375	16	6000
28 x 40	K3685	Carton	430	375	16	6000

Brightness—96
Opacity—99
Paper Gloss—72
Caliper—.0090
PPI—222
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
18 x 12	K11928	Carton	83	600	40	24000

Brightness—96
Opacity—99
Paper Gloss—72
Caliper—.0090
PPI—222
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
18 x 12	K11884	Carton	83	600	40	24000
19 x 13	K11746	Carton	95	600	36	21600
20 ¹³ / ₁₆ x 29 ¹ / ₂	K13066	Carton	236	400	20	8000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at [sappi.com/RF](https://www.sappi.com/RF).

- 1 McCoy is sold standard with 10% recycled fiber.
- 2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit [sappi.com](https://www.sappi.com) for the most up-to-date product specifications and available certifications.

McCoy Gloss Cover

120lb/325gsm

Brightness—96
Opacity—99
Paper Gloss—72
Caliper—.0110
PPI—182
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
20 x 26	K3687	Carton	240	625	16	10000
23 x 35	K3688	Carton	372	400	16	6400
	K12884	Skid	372			3000
25 x 38	K3689	Carton	438	375	16	6000
	K12885	Skid	438			3000
26 x 40	K3690	Carton	480	300	16	4800
	K12886	Skid	480			3000
28 x 40	K3691	Carton	516	300	16	4800
	K10977	Skid	516			3000

Brightness—96
Opacity—99
Paper Gloss—72
Caliper—.0110
PPI—182
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
18 x 12	K11855	Carton	100	500	40	20000
19 x 13	K11856	Carton	114	500	36	18000
20 ¹³ / ₁₆ x 29 ¹ / ₂	K13067	Carton	283	350	20	7000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 McCoy is sold standard with 10% recycled fiber.
- 2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

McCoy Silk Text

80lb/118gsm

Brightness—96
Opacity—95
Paper Gloss—43
Caliper—.0041
PPI—488
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
19 x 25	K3751	Carton	80	2000	16	32000
23 x 35	K3754	Carton	136	1100	16	17600
24 x 36	K3755	Carton	146	1000	16	16000
	K10978	Skid	146			10000
25 x 38	K3757	Carton	160	1000	16	16000
	K53758	Skid	160			9500
28 x 40	K3759	Carton	188	800	16	12800
	K12590	Skid	188			9500

Brightness—96
Opacity—95
Paper Gloss—43
Caliper—.0041
PPI—488
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Web			
SIZE	CODE	PUT UP	DIAMETER
35 ¹ / ₂	K4132	Roll	40

Brightness—96
Opacity—95
Paper Gloss—43
Caliper—.0041
PPI—488
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
11 x 17	K11931	Carton	31	2000	32	64000
12 x 18	K11935	Carton	36	1500	40	60000

Brightness—96
Opacity—95
Paper Gloss—43
Caliper—.0041
PPI—488
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
12 x 18	K11877	Carton	36	1500	40	60000
13 x 19	K11739	Carton	42	1500	36	54000
29 ¹ / ₂ x 20 ¹³ / ₁₆	K13240	Carton	103	1000	20	20000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 McCoy is sold standard with 10% recycled fiber.
- 2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

McCoy Silk Text

100lb/148gsm

Brightness—96
Opacity—96.5
Paper Gloss—43
Caliper—.0050
PPI—404
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
19 x 25	K3760	Carton	100	1600	16	25600
	K12889	Skid	100			14000
23 x 35	K3761	Carton	169	900	16	14400
	K53762	Skid	169			7500
24 x 36	K3763	Carton	182	800	16	12800
	K10979	Skid	182			8000
25 x 38	K3764	Carton	200	800	16	12800
	K53765	Skid	200			7500
28 x 40	K3766	Carton	236	600	16	9600
	K53767	Skid	236			7500

Brightness—96
Opacity—96.5
Paper Gloss—43
Caliper—.0053
PPI—376
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Web			
SIZE	CODE	PUT UP	DIAMETER
35½	K4137	Roll	40

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

1 McCoy is sold standard with 10% recycled fiber.
2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

McCoy Silk Text

100lb/148gsm

Brightness—96
Opacity—96.5
Paper Gloss—43
Caliper—.0050
PPI—404
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
12 x 18	K11936	Carton	45	1200	40	48000

Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
12 x 18	K11878	Carton	45	1200	40	48000
13 x 19	K11740	Carton	52	1000	36	36000
29½ x 20⅓½	K13068	Carton	129	800	20	16000

Brightness—96
Opacity—96.5
Paper Gloss—43
Caliper—.0050
PPI—404
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

1 McCoy is sold standard with 10% recycled fiber.
2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

McCoy Silk Cover

65lb/176gsm

Brightness—96 Opacity—98.0 Paper Gloss—43 Caliper—.0059 PPI—338 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²	Digital for HP Indigo						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
	13 x 19	K12541	Carton	62	1000	36	36000
		K12554	Skid	62			36000
	19 x 13	K13353	Carton	62	1000	36	36000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

1 McCoy is sold standard with 10% recycled fiber.

2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

McCoy Silk Cover

80lb/216gsm

Brightness—96
Opacity—98.5
Paper Gloss—43
Caliper—.0076
PPI—262
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
19 × 25	K3770	Carton	146	1100	16	17600
	K12893	Skid	146			9000
20 × 26	K3772	Carton	160	1000	16	16000
23 × 35	K3778	Carton	248	625	16	10000
	K53779	Skid	248			5000
25 × 38	K3782	Carton	292	500	16	8000
	K53785	Skid	292			5000
26 × 40	K3786	Carton	320	500	16	8000
	K53788	Skid	320			5000
28 × 40	K3789	Carton	344	400	16	6400
	K53790	Skid	344			5000

Brightness—96 Opacity—98.5 Paper Gloss—43 Caliper—.0076 PPI—262 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²	Digital						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
	17 x 11	K11933	Carton	58	1000	32	32000
	18 x 12	K11937	Carton	66	750	40	30000

Brightness—96 Opacity—98.5 Paper Gloss—43 Caliper—.0076 PPI—262 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²	Digital for HP Indigo						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
	18 x 12	K11879	Carton	66	750	40	30000
	19 x 13	K11741	Carton	76	750	36	27000
	20 ¹³ / ₁₆ x 29 ¹ / ₂	K13069	Carton	189	500	20	10000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

1 McCoy is sold standard with 10% recycled fiber.

2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

McCoy Silk Cover

100lb/270gsm

Brightness—96
Opacity—99
Paper Gloss—43
Caliper—.0098
PPI—204
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
19 x 25	K3791	Carton	183	875	16	14000
20 x 26	K3792	Carton	200	750	16	12000
23 x 35	K3794	Carton	310	500	16	8000
	K53795	Skid	310			3750
25 x 38	K3796	Carton	366	375	16	6000
	K53797	Skid	366			3750
26 x 40	K3798	Carton	400	375	16	6000
	K53799	Skid	400			3750
28 x 40	K3800	Carton	430	375	16	6000
	K53801	Skid	430			3750

Brightness—96
Opacity—99
Paper Gloss—43
Caliper—.0098
PPI—204
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
18 x 12	K11938	Carton	83	600	40	24000
20½ x 14⅓	K11986	Carton	113	500	36	18000

Brightness—96
Opacity—99
Paper Gloss—43
Caliper—.0098
PPI—204
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
18 x 12	K11880	Carton	83	600	40	24000
19 x 13	K11742	Carton	95	600	36	21600
20⅓ ₁₆ x 29½	K13070	Carton	236	400	20	8000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 McCoy is sold standard with 10% recycled fiber.
- 2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

McCoy Silk Cover

120lb/325gsm

Brightness—96
Opacity—99
Paper Gloss—43
Caliper—.0120
PPI—166
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
20 x 26	K3803	Carton	240	625	16	10000
	K3807	Carton	372	400	16	6400
23 x 35	K53814	Skid	372			3000
	K3854	Carton	438	375	16	6000
25 x 38	K53855	Skid	438			3000
	K3856	Carton	480	300	16	4800
26 x 40	K53857	Skid	480			3000
	K3858	Carton	516	300	16	4800
28 x 40	K53859	Skid	516			3000

Brightness—96
Opacity—99
Paper Gloss—43
Caliper—.0120
PPI—166
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
13 x 19	K12542	Ream	114	250 ³	72 ⁴	18000
	K12555	Skid	114			18000
18 x 12	K11853	Carton	100	500	40	20000
19 x 13	K11854	Carton	114	500	36	18000
	K12566	Skid	114			18000
20⅓ ₁₆ x 29½	K13071	Carton	283	350	20	7000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 McCoy is sold standard with 10% recycled fiber.
- 2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 3 Sheets/Ream.
- 4 Reams/Pallet.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

McCoy Silk Cover

130lb/352gsm

Brightness—96
Opacity—99
Paper Gloss—43
Caliper—.0132
PPI—152
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
20 x 26	K3862	Carton	260	600	16	9600
23 x 35	K3863	Carton	403	375	16	6000
	K12890	Skid	403			3000
25 x 38	K3864	Carton	476	325	16	5200
26 x 40	K3865	Carton	520	300	16	4800
	K12891	Skid	520			3000
28 x 40	K3866	Carton	560	275	16	4400
	K12892	Skid	560			3000

McCoy Silk Gift Card

288lb/780gsm

Brightness—96
Opacity—99
Paper Gloss—43
Caliper—.0280
PPI—68
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
28 x 40	K55046	Carton	1242	120	16	1920
	K55045	Skid	1242			1250

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 McCoy is sold standard with 10% recycled fiber.
- 2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 McCoy is sold standard with 10% recycled fiber.
- 2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

McCoy Matte Text

80lb/118gsm

Brightness—96
Opacity—95
Paper Gloss—25
Caliper—.0044
PPI—454
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
23 x 35	K3701	Carton	136	1100	16	17600
25 x 38	K3703	Carton	160	1000	16	16000
	K53704	Skid	160			8000
28 x 40	K3705	Carton	188	800	16	12800
	K12591	Skid	188			8000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 McCoy is sold standard with 10% recycled fiber.
- 2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

McCoy Matte Text

100lb/148gsm

Brightness—96
Opacity—96.5
Paper Gloss—25
Caliper—.0056
PPI—356
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
19 x 25	K3706	Carton	100	1600	16	25600
23 x 35	K3712	Carton	169	900	16	14400
25 x 38	K3714	Carton	200	800	16	12800
	K53717	Skid	200			6000
28 x 40	K3719	Carton	236	600	16	9600
	K12592	Skid	236			6000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 McCoy is sold standard with 10% recycled fiber.
- 2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

McCoy Matte Cover

80lb/216gsm

Brightness—96
Opacity—98.5
Paper Gloss—25
Caliper—.0085
PPI—234
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
19 x 25	K3729	Carton	146	1100	16	17600
23 x 35	K3731	Carton	248	625	16	10000
25 x 38	K3732	Carton	292	500	16	8000
26 x 40	K3733	Carton	320	500	16	8000
	K53734	Skid	320			4000
28 x 40	K3735	Carton	344	400	16	6400

100lb/270gsm

Brightness—96
Opacity—99
Paper Gloss—25
Caliper—.0106
PPI—188
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
19 x 25	K3736	Carton	183	875	16	14000
20 x 26	K3737	Carton	200	750	16	12000
23 x 35	K3738	Carton	310	500	16	8000
25 x 38	K3739	Carton	366	400	16	6400
26 x 40	K3740	Carton	400	375	16	6000
28 x 40	K3742	Carton	430	375	16	6000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 McCoy is sold standard with 10% recycled fiber.
- 2 All McCoy products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Spectro



The new standard in luxury that lasts.

For when what's inside really counts. Spectro® wows with a superior surface on both sides of the sheet. As a paperboard with enhanced optics, it's ideal for both packaging and commercial printing applications. Consider Spectro your invitation to stand out from the crowd.

Superior printability and surface, side to side

Spectro C1S and C2S deliver a uniform side-to-side smooth printing surface that features a proprietary coating engineered for brilliant color reproduction, sharper details, and better ink hold-out.

A breadth of applications

From direct mail to luxury goods packaging to point-of-sale materials, Spectro offers unrivaled versatility for both commercial print and packaging applications as you build your brand. Expect high-quality performance across numerous applications, including digital and folio sizes, all made and stocked in the US for quicker availability.

Consistent downstream performance

Spectro has the strength and durability to provide optimum convertibility for folding, die-cutting, gluing, and other converting applications. It's designed with exceptional dimensional stability, providing more flexibility in layout and downstream operations.

Stocked basis weights

Spectro C1S					
CALIPER	TAG WEIGHT 24" x 36"	COVER WEIGHT 20" x 26"	GSM	GLOSS	BRIGHTNESS
8pt	109	66	177	50	92
10pt	120	72	195	50	92
12pt	141	85	230	50	92
14pt	158	95	257	50	92
16pt	177	106	288	50	92
18pt	193	116	314	50	92
20pt	206	124	335	50	92
24pt	243	146	396	50	92

Spectro C1S Digital and Digital for HP Indigo					
CALIPER	TAG WEIGHT 24" x 36"	COVER WEIGHT 20" x 26"	GSM	GLOSS	BRIGHTNESS
10pt	120	72	195	50	92
12pt	141	85	230	50	92
14pt	158	95	257	50	92
16pt	177	106	288	50	92

Spectro C2S					
CALIPER	TAG WEIGHT 24" x 36"	COVER WEIGHT 20" x 26"	GSM	GLOSS	BRIGHTNESS
8pt	124	75	202	50	92
10pt	145	87	236	50	92
12pt	171	103	278	50	92
14pt	196	119	319	50	92
16pt	217	132	353	50	92

Spectro C2S Digital and Digital for HP Indigo					
CALIPER	TAG WEIGHT 24" x 36"	COVER WEIGHT 20" x 26"	GSM	GLOSS	BRIGHTNESS
10pt	145	87	236	50	92
12pt	171	103	278	50	92
14pt	196	119	319	50	92
16pt	217	132	353	50	92

Specifications

- PUT UP
Cartons, Skids, Reams
- SHADE
Ultra bright blue white
- L*a*b PAPER WHITE
95.00, 0.70, -6.30¹
95.50, 1.05, -3.40²
- RECYCLED FIBER CONTENT
10% available upon request
- CERTIFICATIONS
SFI Certified Sourcing
Either FSC, SFI, or PEFC
CoC certified³

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching.

1 CIE L*a*b* values are approximate and stated with UV included, according to ISO 5631-2:2015 guidelines. The color measurement methodology incorporates CIE standard illuminant D65 (simulated), 10° Standard Observer, and d/0° illumination/measurement geometry. Average CIE L*a*b* data are presented for relative paperboard shade comparisons—not as product specifications.

2 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paperboard shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.

3 Spectro is sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Spectro C1S

8pt

Tag Weight
24"×36"—109
Cover Weight
20"×26"—66
GSM—177
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 × 25	K20029	Carton	120	1000	16	16000
	K20200	Skid	120			10000
20 × 26	K20030	Carton	131	1000	16	16000
	K20201	Skid	131			10000
23 × 29	K20031	Carton	168	650	16	10400
	K20202	Skid	168			5000
23 × 35	K20032	Carton	203	600	16	9600
	K20203	Skid	203			5000
25 × 38	K20033	Carton	240	500	16	8000
	K20204	Skid	240			5000
26 × 40	K20034	Carton	262	500	16	8000
	K20205	Skid	262			5000
28 × 40	K20000	Carton	282	400	16	6400
	K20206	Skid	282			5000

Spectro C1S

10pt

Tag Weight
24"×36"—120
Cover Weight
20"×26"—72
GSM—195
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 × 25	K20035	Carton	132	900	16	14400
	K20210	Skid	132			8000
20 × 26	K20036	Carton	144	800	16	12800
	K20211	Skid	144			8000
23 × 29	K20037	Carton	185	600	16	9600
	K20212	Skid	185			4000
23 × 35	K20038	Carton	224	500	16	8000
	K20213	Skid	224			4000
25 × 38	K20039	Carton	264	400	16	6400
	K20214	Skid	264			4000
26 × 40	K20040	Carton	288	400	16	6400
	K20215	Skid	288			4000
28 × 40	K20001	Carton	312	400	16	6400
	K20216	Skid	312			4000

Tag Weight
24"×36"—120
Cover Weight
20"×26"—72
GSM—195
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S—Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
8 ¹ / ₂ × 11	K23519	Ream	26	150 ³	384 ³	57600
17 × 11	K23501	Carton	52	600	48	28800
18 × 12	K23502	Carton	60	600	48	28800
19 × 13	K23503	Carton	69	600	42	25200
20 × 14	K23504	Carton	78	500	42	21000

Tag Weight
24"×36"—120
Cover Weight
20"×26"—72
GSM—195
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S—Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
18 × 12	K26501	Carton	60	600	48	28800
19 × 13	K26502	Carton	69	600	42	25200
20 ¹³ / ₁₆ × 29 ¹ / ₂	K26503	Skid	171			6600

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching.

1 Spectro is available with 10% recycled fiber based on availability and applicable upcharges.

2 Spectro is sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching.

1 Spectro is available with 10% recycled fiber based on availability and applicable upcharges.

2 Spectro is sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

3 150 Sheets/Ream, 8 Reams/Carton.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Spectro C1S

12pt

Tag Weight
24"×36"—141
Cover Weight
20"×26"—85
GSM—230
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 × 25	K20041	Carton	155	750	16	12000
	K20220	Skid	155			7000
20 × 26	K20042	Carton	170	750	16	12000
	K20221	Skid	170			7000
23 × 29	K20043	Carton	218	600	12	7200
	K20222	Skid	218			3500
23 × 35	K20044	Carton	263	400	16	6400
	K20223	Skid	263			3500
25 × 38	K20045	Carton	310	350	16	5600
	K20224	Skid	310			3500
26 × 40	K20046	Carton	340	400	16	6400
	K20225	Skid	340			3500
28 × 40	K20002	Carton	366	350	16	5600
	K20226	Skid	366			3500

Tag Weight
24"×36"—141
Cover Weight
20"×26"—85
GSM—230
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S—Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
8½ × 11	K23525	Ream	31	125 ³	384 ³	48000
17 × 11	K23507	Carton	61	500	48	24000
18 × 12	K23508	Carton	71	500	48	24000
19 × 13	K23509	Carton	81	500	42	21000
20 × 14	K23510	Carton	91	450	42	18900

Tag Weight
24"×36"—141
Cover Weight
20"×26"—85
GSM—230
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S—Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
18 × 12	K26504	Carton	71	500	48	24000
19 × 13	K26505	Carton	81	500	42	21000
20 ¹³ / ₁₆ × 29½	K26506	Skid	200			5500

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching.

1 Spectro is available with 10% recycled fiber based on availability and applicable upcharges.

2 Spectro is sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

3 125 Sheets/Ream, 8 Reams/Carton.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Spectro C1S

14pt

Tag Weight
24"×36"—158
Cover Weight
20"×26"—95
GSM—257
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 × 25	K20047	Carton	174	600	16	9600
	K20230	Skid	174			6000
20 × 26	K20048	Carton	190	550	16	8800
	K20231	Skid	190			6000
23 × 29	K20049	Carton	244	475	12	5700
	K20232	Skid	244			3000
23 × 35	K20050	Carton	294	300	16	4800
	K20233	Skid	294			3000
25 × 38	K20051	Carton	348	300	16	4800
	K20234	Skid	348			3000
26 × 40	K20052	Carton	380	300	16	4800
	K20235	Skid	380			3000
28 × 40	K20003	Carton	410	275	16	4400
	K20236	Skid	410			3000

Tag Weight
24"×36"—158
Cover Weight
20"×26"—95
GSM—257
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S—Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
18 × 12	K23512	Carton	79	450	48	21600
19 × 13	K23513	Carton	90	450	42	18900
20 × 14	K23514	Carton	102	400	42	16800

Tag Weight
24"×36"—158
Cover Weight
20"×26"—95
GSM—257
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S—Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
18 × 12	K26507	Carton	79	450	48	21600
19 × 13	K26508	Carton	90	450	42	18900
20 ¹³ / ₁₆ × 29½	K26509	Skid	225			4800

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching.

1 Spectro is available with 10% recycled fiber based on availability and applicable upcharges.

2 Spectro is sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Spectro C1S

16pt

Tag Weight
24" x 36" — 177
Cover Weight
20" x 26" — 106
GSM — 288
Brightness — 92
Gloss — 50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 x 25	K20053	Carton	195	550	16	8800
	K20240	Skid	195			5000
20 x 26	K20054	Carton	213	550	16	8800
	K20241	Skid	213			5000
23 x 29	K20055	Carton	273	450	12	5400
	K20242	Skid	273			2500
23 x 35	K20056	Carton	330	300	16	4800
	K20243	Skid	330			2500
25 x 38	K20057	Carton	390	275	16	4400
	K20244	Skid	390			2500
26 x 40	K20058	Carton	426	300	16	4800
	K20245	Skid	426			2500
28 x 40	K20004	Carton	458	275	16	4400
	K20246	Skid	458			2500

Tag Weight
24" x 36" — 177
Cover Weight
20" x 26" — 106
GSM — 288
Brightness — 92
Gloss — 50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S—Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
18 x 12	K23516	Carton	89	400	48	19200
19 x 13	K23517	Carton	101	400	42	16800

Tag Weight
24" x 36" — 177
Cover Weight
20" x 26" — 106
GSM — 288
Brightness — 92
Gloss — 50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S—Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
18 x 12	K26510	Carton	89	400	48	19200
19 x 13	K26511	Carton	101	400	42	16800
20 ¹³ / ₁₆ x 29 ¹ / ₂	K26512	Skid	252			4200

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching.

1 Spectro is available with 10% recycled fiber based on availability and applicable upcharges.

2 Spectro is sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Spectro C1S

18pt

Tag Weight
24" x 36" — 193
Cover Weight
20" x 26" — 116
GSM — 314
Brightness — 92
Gloss — 50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 x 25	K20059	Carton	212	500	16	8000
	K20250	Skid	212			4500
20 x 26	K20060	Carton	232	475	16	7600
	K20251	Skid	232			4500
23 x 29	K20061	Carton	298	400	12	4800
	K20252	Skid	298			2250
23 x 35	K20062	Carton	360	250	16	4000
	K20253	Skid	360			2250
25 x 38	K20063	Carton	424	250	16	4000
	K20254	Skid	424			2250
26 x 40	K20064	Carton	464	300	16	4800
	K20255	Skid	464			2250
28 x 40	K20005	Carton	500	250	16	4000
	K20256	Skid	500			2250

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching.

1 Spectro is available with 10% recycled fiber based on availability and applicable upcharges.

2 Spectro is sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Spectro C1S

20pt

Tag Weight
24"×36"—206
Cover Weight
20"×26"—124
GSM—335
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 × 25	K20065	Carton	227	450	16	7200
	K20260	Skid	227			4000
20 × 26	K20066	Carton	248	475	16	7600
	K20261	Skid	248			4000
23 × 29	K20067	Carton	318	350	12	4200
	K20262	Skid	318			2000
23 × 35	K20068	Carton	384	250	16	4000
	K20263	Skid	384			2000
25 × 38	K20069	Carton	454	225	16	3600
	K20264	Skid	454			2000
26 × 40	K20070	Carton	496	275	16	4400
	K20265	Skid	496			2000
28 × 40	K20006	Carton	534	225	16	3600
	K20266	Skid	534			2000

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching.

1 Spectro is available with 10% recycled fiber based on availability and applicable upcharges.

2 Spectro is sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Spectro C1S

24pt

Tag Weight
24"×36"—243
Cover Weight
20"×26"—146
GSM—396
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C1S						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 × 25	K20071	Carton	267	350	16	5600
	K20270	Skid	267			3500
20 × 26	K20072	Carton	293	350	16	5600
	K20271	Skid	293			3500
23 × 29	K20073	Carton	375	300	12	3600
	K20272	Skid	375			1750
23 × 35	K20074	Carton	453	200	16	3200
	K20273	Skid	453			1750
25 × 38	K20075	Carton	534	175	16	2800
	K20274	Skid	534			1750
26 × 40	K20076	Carton	586	225	16	3600
	K20275	Skid	586			1750
28 × 40	K20007	Carton	630	175	16	2800
	K20276	Skid	630			1750

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching.

1 Spectro is available with 10% recycled fiber based on availability and applicable upcharges.

2 Spectro is sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Spectro C2S

8pt

Tag Weight
24"×36"—124
Cover Weight
20"×26"—75
GSM—202
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C2S						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 × 25	K21500	Carton	136	1000	16	16000
	K21507	Skid	136			10000
20 × 26	K21501	Carton	149	1000	16	16000
	K21508	Skid	149			10000
23 × 29	K21502	Carton	191	650	16	10400
	K21509	Skid	191			5000
23 × 35	K21503	Carton	231	600	16	9600
	K21510	Skid	231			5000
25 × 38	K21504	Carton	272	500	16	8000
	K21511	Skid	272			5000
26 × 40	K21505	Carton	298	500	16	8000
	K21512	Skid	298			5000
28 × 40	K21506	Carton	322	400	16	6400
	K21513	Skid	322			5000

Spectro C2S

10pt

Tag Weight
24"×36"—145
Cover Weight
20"×26"—87
GSM—236
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C2S						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 × 25	K21514	Carton	159	900	16	14400
	K21521	Skid	159			8000
20 × 26	K21515	Carton	175	800	16	12800
	K21522	Skid	175			8000
23 × 29	K21516	Carton	224	600	16	9600
	K21523	Skid	224			4000
23 × 35	K21517	Carton	270	500	16	8000
	K21524	Skid	270			4000
25 × 38	K21518	Carton	318	400	16	6400
	K21525	Skid	318			4000
26 × 40	K21519	Carton	350	400	16	6400
	K21526	Skid	350			4000
28 × 40	K21520	Carton	376	400	16	6400
	K21527	Skid	376			4000

Tag Weight
24"×36"—145
Cover Weight
20"×26"—87
GSM—236
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C2S—Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
8 ¹ / ₂ × 11	K23019	Ream	31	150 ³	384 ³	57600
17 × 11	K23001	Carton	63	600	48	28800
18 × 12	K23002	Carton	73	600	48	28800
19 × 13	K23003	Carton	83	600	42	25200
20 × 14	K23004	Carton	94	500	42	21000

Tag Weight
24"×36"—145
Cover Weight
20"×26"—87
GSM—236
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C2S—Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
18 × 12	K26001	Carton	73	600	48	28800
19 × 13	K26002	Carton	83	600	42	25200
20 ¹³ / ₁₆ × 29 ¹ / ₂	K26003	Skid	206			6600

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching.

1 Spectro is available with 10% recycled fiber based on availability and applicable upcharges.

2 Spectro is sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching.

1 Spectro is available with 10% recycled fiber based on availability and applicable upcharges.

2 Spectro is sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

3 150 Sheets/Ream, 8 Reams/Carton.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Spectro C2S

12pt

Tag Weight
24"×36"—171
Cover Weight
20"×26"—103
GSM—278
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C2S						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 × 25	K21528	Carton	188	750	16	12000
	K21535	Skid	188			7000
20 × 26	K21529	Carton	206	750	16	12000
	K21536	Skid	206			7000
23 × 29	K21530	Carton	264	600	12	7200
	K21537	Skid	264			3500
23 × 35	K21531	Carton	319	400	16	6400
	K21538	Skid	319			3500
25 × 38	K21532	Carton	376	350	16	5600
	K21539	Skid	376			3500
26 × 40	K21533	Carton	412	400	16	6400
	K21540	Skid	412			3500
28 × 40	K21534	Carton	444	350	16	5600
	K21541	Skid	444			3500

Tag Weight
24"×36"—171
Cover Weight
20"×26"—103
GSM—278
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C2S—Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
8 1/2 × 11	K23025	Ream	37	125 ³	384 ³	48000
17 × 11	K23007	Carton	74	500	48	24000
18 × 12	K23008	Carton	86	500	48	24000
19 × 13	K23009	Carton	98	500	42	21000
20 × 14	K23010	Carton	111	450	42	18900

Tag Weight
24"×36"—171
Cover Weight
20"×26"—103
GSM—278
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C2S—Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
18 × 12	K26004	Carton	86	500	48	24000
19 × 13	K26005	Carton	98	500	42	21000
20 ¹⁹ / ₁₆ × 29 ¹ / ₂	K26006	Skid	243			5500

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching.

1 Spectro is available with 10% recycled fiber based on availability and applicable upcharges.

2 Spectro is sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

3 125 Sheets/Ream, 8 Reams/Carton.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Spectro C2S

14pt

Tag Weight
24"×36"—196
Cover Weight
20"×26"—119
GSM—319
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C2S						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 × 25	K21542	Carton	216	600	16	9600
	K21549	Skid	216			6000
20 × 26	K21543	Carton	236	600	16	9600
	K21550	Skid	236			6000
23 × 29	K21544	Carton	303	400	16	6400
	K21551	Skid	303			3000
23 × 35	K21545	Carton	365	300	16	4800
	K21552	Skid	365			3000
25 × 38	K21546	Carton	432	300	16	4800
	K21553	Skid	432			3000
26 × 40	K21547	Carton	472	300	16	4800
	K21554	Skid	472			3000
28 × 40	K21548	Carton	508	275	16	4400
	K21555	Skid	508			3000

Tag Weight
24"×36"—196
Cover Weight
20"×26"—119
GSM—319
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C2S—Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
18 × 12	K23012	Carton	98	450	48	21600
19 × 13	K23013	Carton	112	450	42	18900
20 × 14	K23014	Carton	127	400	42	16800

Tag Weight
24"×36"—196
Cover Weight
20"×26"—119
GSM—319
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C2S—Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
18 × 12	K26007	Carton	98	450	48	21600
19 × 13	K26008	Carton	112	450	42	18900
20 ¹⁹ / ₁₆ × 29 ¹ / ₂	K26009	Skid	279			4800

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching.

1 Spectro is available with 10% recycled fiber based on availability and applicable upcharges.

2 Spectro is sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Spectro C2S

16pt

Tag Weight
24"x36"—217
Cover Weight
20"x26"—132
GSM—353
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C2S						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 x 25	K21556	Carton	239	550	16	8800
	K21563	Skid	239			5000
20 x 26	K21557	Carton	261	600	16	9600
	K21564	Skid	261			5000
23 x 29	K21558	Carton	335	350	16	5600
	K21565	Skid	335			2500
23 x 35	K21559	Carton	404	300	16	4800
	K21566	Skid	404			2500
25 x 38	K21560	Carton	478	275	16	4400
	K21567	Skid	478			2500
26 x 40	K21561	Carton	522	300	16	4800
	K21568	Skid	522			2500
28 x 40	K21562	Carton	562	275	16	4400
	K21569	Skid	562			2500

Tag Weight
24"x36"—217
Cover Weight
20"x26"—132
GSM—353
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C2S—Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
18 x 12	K23016	Carton	109	400	48	19200
19 x 13	K23017	Carton	124	400	42	16800

Tag Weight
24"x36"—217
Cover Weight
20"x26"—132
GSM—353
Brightness—92
Gloss—50
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Spectro C2S—Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
18 x 12	K26010	Carton	109	400	48	19200
19 x 13	K26011	Carton	124	400	42	16800
20 ¹³ / ₁₆ x 29 ¹ / ₂	K26012	Skid	308			4200

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching.

1 Spectro is available with 10% recycled fiber based on availability and applicable upcharges.

2 Spectro is sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus



The fine line between efficient and effective.

For when your campaign needs to perform everywhere.

We've engineered Opus® for maximum impact across an extended range of weights and finishes. The perfect balance of shade and brightness makes your brand jump off the page. Opus also has tighter tolerance standards than any of its competitors—and when your canvas is consistent, what you print stays consistent. Opus always delivers striking, reliable performance to meet the needs of any integrated marketing campaign.

One big happy family

Opus offers the broadest range of weights and finishes across sheet, web, and digital formats, including Opus PS—a solution optimized for direct mail—and Opus Digital and Opus Digital for HP Indigo, which are optimized to perform across digital printing platforms. With unrivaled versatility, Opus delivers the right impression at multiple touchpoints.

Striking the right balance

On one side of Opus, shade determines how evenly light reflects from a surface. A neutral shade provides a full, balanced gamut of light, which can come at the expense of crisp, intense color. On the other side, brightness gives vibrancy and pop, but this can come at the cost of shifting some pastels and warmer tones to a bluer shade. Opus perfectly balances the two, delivering a full range of dynamic color.

Confidence comes standard

Opus has the tightest tolerance standards of any premium paper in its category, delivering minimal variability within and across runs. Nothing else in the industry even comes close. Now *that* inspires confidence.

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

Stocked basis weights

Sheets						
TEXT OR COVER	BASIS WEIGHT (lb/gsm)	GUAR. CALIPER	GLOSS	DULL	MATTE	SATIN
Text	70/104		•	•	•	
	80/118		•	•	•	
	100/148		•	•	•	
OPUS PS	105/155 ¹	7pt ²			•	
Cover	65/176		•	•		
	65/176	7pt ²			•	
OPUS PS	70/190	7pt ²	•			
	80/216		•	•		
OPUS PS	80/216	9pt ³			•	
OPUS PS	87/235	9pt ³	•			
	100/270		•	•		
	120/325		•	•		
	130/352		•	•		

Web						
TEXT OR COVER	BASIS WEIGHT (lb/gsm)	GUAR. CALIPER	GLOSS	DULL	MATTE	SATIN
Text	60/89		•		•	•
	70/104		•	•	•	•
	80/118		•	•	•	•
	100/148		•	•		
OPUS PS	105/155 ¹	7pt ²			•	
Cover	65/176		•	•		
	65/176	7pt ²			•	
OPUS PS	70/190	7pt ²	•	•		
OPUS PS	78/210		•			
	80/216		•	•		
OPUS PS	80/216	9pt ³			•	
OPUS PS	87/235	9pt ³	•	•		

Digital and Digital for HP Indigo						
TEXT OR COVER	BASIS WEIGHT (lb/gsm)	GUAR. CALIPER	GLOSS	DULL	MATTE	SATIN
Text	80/118		•	•		
	100/148		•	•		
Cover	80/216		•	•		
	100/270		•	•		
	120/325		•	•		

1 Matte Reply Card.
2 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.
3 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.
4 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.
5 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
6 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.
All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Specifications

FINISHES	Gloss, Dull, Satin, Matte
PUT UP	Cartons, Skids, Rolls
SHADE	Blue white
L*a*b* PAPER WHITE SHEETS ⁴	96.20, 1.45, -4.85
L*a*b* PAPER WHITE WEB ⁴	95.80, 1.45, -4.00
RECYCLED FIBER CONTENT SHEETS	10%
RECYCLED FIBER CONTENT WEB	10% available upon request
RECYCLED FIBER CONTENT DIGITAL	10%
CERTIFICATIONS SHEETS	SFI Certified Sourcing FSC CoC certified ⁵
CERTIFICATIONS WEB	SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ⁶

Opus Gloss Text

60lb/89gsm

Brightness—92 Opacity—92 Paper Gloss—72 Caliper—.0029 PPI—688 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Web			
SIZE	CODE	PUT UP	DIAMETER	
35	K12687	Roll	49	

70lb/104gsm

Brightness—94 Opacity—92.5 Paper Gloss—72 Caliper—.0031 PPI—638 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ³	Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
25 x 38	K632	Carton	140	1000	16	16000	
28 x 40	K50651	Skid	166			11500	

Brightness—92 Opacity—93 Paper Gloss—72 Caliper—.0035 PPI—578 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Web			
SIZE	CODE	PUT UP	DIAMETER	
18	K12745	Roll	49	
26½	K12746	Roll	49	
35	K12688	Roll	49	
35½	K12692	Roll	49	
38	K12695	Roll	49	

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.
- 3 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Gloss Text

80lb/118gsm

Brightness—94 Opacity—93.5 Paper Gloss—72 Caliper—.0035 PPI—570 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²	Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
19 x 25	K635	Carton	80	2000	16	32000	
23 x 35	K636	Carton	136	1100	16	17600	
	K50653	Skid	136			10000	
24 x 36	K637	Carton	146	1000	16	16000	
	K50654	Skid	146			10000	
25 x 38	K640	Carton	160	1000	16	16000	
	K50655	Skid	160			10000	
28 x 40	K641	Carton	188	800	16	12800	
	K50656	Skid	188			10000	

Brightness—92 Opacity—94 Paper Gloss—72 Caliper—.0039 PPI—512 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ³	Web			
SIZE	CODE	PUT UP	DIAMETER	
17½	K12747	Roll	49	
18	K12748	Roll	49	
23½	K12749	Roll	49	
26½	K12750	Roll	49	
35	K8407	Roll	49	
35½	K8404	Roll	49	
38	K12696	Roll	49	

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 3 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Gloss Text

80lb/118gsm

Brightness—94
Opacity—93.5
Paper Gloss—72
Caliper—.0035
PPI—570
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
11 x 17	K12086	Carton	31	2000	32	64000
12 x 18	K12096	Carton	36	1500	40	60000
13 x 19	K13665	Carton	42	1500	40	60000

Brightness—94
Opacity—93.5
Paper Gloss—72
Caliper—.0035
PPI—570
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
12 x 18	K13072	Carton	36	1500	40	60000
13 x 19	K13120	Carton	42	1500	36	54000
29½ x 20 ¹³ / ₁₆	K13123	Carton	103	1000	20	20000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Gloss Text

100lb/148gsm

Brightness—94
Opacity—96
Paper Gloss—72
Caliper—.0044
PPI—454
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
19 x 25	K642	Carton	100	1600	16	25600
23 x 35	K644	Carton	169	900	16	14400
	K50703	Skid	169			8000
25 x 38	K645	Carton	200	800	16	12800
	K50705	Skid	200			8000
28 x 40	K646	Carton	236	600	16	9600
	K50706	Skid	236			8000

Brightness—92
Opacity—96.5
Paper Gloss—72
Caliper—.0050
PPI—402
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Web			
SIZE	CODE	PUT UP	DIAMETER
17½	K12753	Roll	49
18	K13584	Roll	49
23½	K12751	Roll	49
26½	K12752	Roll	49
35	K12689	Roll	49
35½	K12693	Roll	49
38	K12697	Roll	49

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 3 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Gloss Text

100lb/148gsm

Brightness—94 Opacity—96 Paper Gloss—72 Caliper—.0044 PPI—454 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²							
Digital							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
11 x 17	K12093	Carton	39	1500	32	48000	
12 x 18	K12084	Carton	45	1200	40	48000	
13 x 19	K13667	Carton	52	1000	40	40000	

Brightness—94 Opacity—96 Paper Gloss—72 Caliper—.0044 PPI—454 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²							
Digital for HP Indigo							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
12 x 18	K13073	Carton	45	1200	40	48000	
13 x 19	K13106	Carton	52	1000	36	36000	
29½ x 20 ¹³ / ₁₆	K13109	Carton	129	800	20	16000	

Opus Gloss Cover

65lb/176gsm

Brightness—94 Opacity—97 Paper Gloss—72 Caliper—.0056 PPI—356 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²							
Sheets							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
23 x 35	K9671	Carton	201	750	16	12000	
25 x 38	K9715	Carton	238	625	16	10000	
28 x 40	K9719	Carton	280	500	16	8000	

Brightness—94 Opacity—97 Paper Gloss—72 Caliper—.0056 PPI—356 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ³			
Web			
SIZE	CODE	PUT UP	DIAMETER
38	K12814	Roll	50

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 3 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Gloss Cover

80lb/216gsm

Brightness—94 Opacity—98 Paper Gloss—72 Caliper—.0068 PPI—294 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
	19 x 25	K427	Carton	146	1000	16	16000
	20 x 26	K428	Carton	160	1000	16	16000
	23 x 35	K425	Carton	248	600	16	9600
		K50493	Skid	248			5500
	25 x 38	K429	Carton	292	500	16	8000
		K50495	Skid	292			5500
	26 x 40	K430	Carton	320	500	16	8000
		K50496	Skid	320			5500
	28 x 40	K431	Carton	344	400	16	6400
		K50497	Skid	344			5500

Brightness—92
Opacity—98
Paper Gloss—72
Caliper—.0072
PPI—278
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Web			
SIZE	CODE	PUT UP	DIAMETER
35½	K12694	Roll	50

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 3 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Gloss Cover

80lb/216gsm

Brightness—94 Opacity—98 Paper Gloss—72 Caliper—.0068 PPI—294 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²	Digital						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
	18 x 12	K12092	Carton	66	750	40	30000
	19 x 13	K13669	Carton	76	750	36	27000
	20½ x 14⅓	K13670	Carton	90	600	36	21600

Brightness—94
Opacity—98
Paper Gloss—72
Caliper—.0068
PPI—294
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
18 x 12	K13074	Carton	66	750	40	30000
19 x 13	K13125	Carton	76	750	36	27000
20⅓/16 x 29½	K13128	Carton	189	500	20	10000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Gloss Cover

100lb/270gsm

Brightness—94
Opacity—99
Paper Gloss—72
Caliper—.0090
PPI—222
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
19 x 25	K432	Carton	183	800	16	12800
20 x 26	K456	Carton	200	800	16	12800
23 x 35	K474	Carton	310	500	16	8000
	K50499	Skid	310			4000
25 x 38	K475	Carton	366	400	16	6400
	K50500	Skid	366			4000
26 x 40	K476	Carton	400	400	16	6400
	K50501	Skid	400			4000
28 x 40	K482	Carton	430	400	16	6400
	K50502	Skid	430			4000

Brightness—94
Opacity—99
Paper Gloss—72
Caliper—.0090
PPI—222
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
18 x 12	K12102	Carton	83	600	40	24000
19 x 13	K13671	Carton	95	600	36	21600

Brightness—94
Opacity—99
Paper Gloss—72
Caliper—.0090
PPI—222
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
18 x 12	K13081	Carton	83	600	40	24000
19 x 13	K13111	Carton	95	600	36	21600
20 ¹³ / ₁₆ x 29 ¹ / ₂	K13114	Carton	236	400	20	8000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Gloss Cover

120lb/325gsm

Brightness—94
Opacity—99
Paper Gloss—72
Caliper—.0111
PPI—180
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
20 x 26	K484	Carton	240	600	16	9600
23 x 35	K485	Carton	372	400	16	6400
25 x 38	K487	Carton	438	300	16	4800
26 x 40	K488	Carton	480	300	16	4800
	K12519	Skid	480			3600
28 x 40	K489	Carton	516	300	16	4800
	K10981	Skid	516			3000

Brightness—94
Opacity—99
Paper Gloss—72
Caliper—.0111
PPI—180
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
17 x 11	K13673	Carton	86	500	32	16000
18 x 12	K13674	Carton	100	500	40	20000
19 x 13	K13675	Carton	114	500	36	18000

Brightness—94
Opacity—99
Paper Gloss—72
Caliper—.0111
PPI—180
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
18 x 12	K13075	Carton	100	500	40	20000
19 x 13	K13116	Carton	114	500	36	18000
20 ¹³ / ₁₆ x 29 ¹ / ₂	K13119	Carton	283	350	20	7000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Gloss Cover

130lb/352gsm

Brightness—94
Opacity—99
Paper Gloss—72
Caliper—.0121
PPI—164
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
20 x 26	K13320	Carton	260	600	16	9600
23 x 35	K13321	Carton	403	375	16	6000
25 x 38	K13322	Carton	476	325	16	5200
26 x 40	K13323	Carton	520	275	16	4400
	K13324	Skid	520			3000
28 x 40	K13325	Carton	560	275	16	4400

Opus Dull Text

70lb/104gsm

Brightness—94
Opacity—92.5
Paper Gloss—47
Caliper—.0033
PPI—602
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
23 x 35	K564	Carton	119	1200	16	19200
	K50602	Skid	119			11000
25 x 38	K565	Carton	140	1000	16	16000
	K12506	Skid	140			12700
28 x 40	K566	Carton	166	900	16	14400
	K12507	Skid	166			12700

Brightness—92
Opacity—93.5
Paper Gloss—43
Caliper—.0036
PPI—562
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Web			
SIZE	CODE	PUT UP	DIAMETER
18	K12758	Roll	49
23	K12759	Roll	49
35½	K12760	Roll	49
38	K12761	Roll	49

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 3 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Dull Text

80lb/118gsm

Brightness—94
Opacity—94
Paper Gloss—47
Caliper—.0037
PPI—540
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
19 x 25	K567	Carton	80	2000	16	32000
23 x 35	K568	Carton	136	1100	16	17600
	K50605	Skid	136			9500
24 x 36	K569	Carton	146	1000	16	16000
	K50609	Skid	146			9500
25 x 38	K570	Carton	160	1000	16	16000
	K50610	Skid	160			9500
28 x 40	K571	Carton	188	800	16	12800
	K10744	Skid	188			8500

Brightness—92
Opacity—95
Paper Gloss—43
Caliper—.0042
PPI—482
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Web			
SIZE	CODE	PUT UP	DIAMETER
18	K13754	Roll	49
23½	K13755	Roll	49
26½	K13756	Roll	49
35½	K13757	Roll	49
38	K8367	Roll	49

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 3 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Dull Text

80lb/118gsm

Brightness—94
Opacity—94
Paper Gloss—47
Caliper—.0037
PPI—540
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
12 x 18	K12091	Carton	36	1500	40	60000
13 x 19	K13653	Carton	42	1500	40	60000

Brightness—94
Opacity—94
Paper Gloss—47
Caliper—.0037
PPI—540
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
12 x 18	K13076	Carton	36	1500	40	60000
13 x 19	K13096	Carton	42	1500	36	54000
29½ x 20 ¹³ / ₁₆	K13099	Carton	103	1000	20	20000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Dull Text

100lb/148gsm

Brightness—94
Opacity—96
Paper Gloss—47
Caliper—.0047
PPI—426
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
19 x 25	K572	Carton	100	1600	16	25600
23 x 35	K573	Carton	169	900	16	14400
	K50611	Skid	169			7500
24 x 36	K50612	Skid	182			7500
25 x 38	K575	Carton	200	800	16	12800
	K50614	Skid	200			7500
28 x 40	K578	Carton	236	600	16	9600
	K50423	Skid	236			7500

Brightness—92
Opacity—96.5
Paper Gloss—47
Caliper—.0048
PPI—416
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Web			
SIZE	CODE	PUT UP	DIAMETER
26½	K12675	Roll	49
35½	K12677	Roll	49
38	K12679	Roll	49

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 3 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Dull Text

100lb/148gsm

Brightness—94
Opacity—96
Paper Gloss—47
Caliper—.0047
PPI—426
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
12 x 18	K12085	Carton	45	1200	40	48000
13 x 19	K13655	Carton	52	1000	40	40000

Brightness—94
Opacity—96
Paper Gloss—47
Caliper—.0047
PPI—426
♻️10% recycled fiber¹
SFI Certified Sourcing
FSC CoC certified²

Digital for HP Indigo						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
12 x 18	K13077	Carton	45	1200	40	48000
13 x 19	K13082	Carton	52	1000	36	36000
29½ x 20⅓ ₁₆	K13085	Carton	129	800	20	16000

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Dull Cover

65lb/176gsm

Brightness—94 Opacity—97.5 Paper Gloss—47 Caliper—.0061 PPI—330 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
	23 x 35	K13349	Carton	201	750	16	12000
	25 x 38	K13350	Carton	238	625	16	10000
		K13351	Skid	238			4500
	28 x 40	K12794	Carton	280	500	16	8000

Brightness—92 Opacity—97.5 Paper Gloss—47 Caliper—.0061 PPI—328 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ³	Web			
	SIZE	CODE	PUT UP	DIAMETER
	38	K12815	Roll	50

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 3 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Dull Cover

80lb/216gsm

Brightness—94 Opacity—98 Paper Gloss—47 Caliper—.0076 PPI—262 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
	20 x 26	K583	Carton	160	1000	16	16000
	23 x 35	K584	Carton	248	600	16	9600
		K12521	Skid	248			5500
	25 x 38	K585	Carton	292	500	16	8000
		K10745	Skid	292			4500
	26 x 40	K586	Carton	320	500	16	8000
		K12903	Skid	320			4500
	28 x 40	K587	Carton	344	400	16	6400
		K50623	Skid	344			5000

Brightness—92 Opacity—98 Paper Gloss—47 Caliper—.0079 PPI—252 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ³	Web			
	SIZE	CODE	PUT UP	DIAMETER
	35½	K12538	Roll	50
	38	K12787	Roll	50

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 3 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Dull Cover

80lb/216gsm

Brightness—94 Opacity—98 Paper Gloss—47 Caliper—.0076 PPI—262 ♻️10% recycled fiber¹ SFI Certified Sourcing FSC CoC certified²							
Digital							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
17 x 11	K12095	Carton	58	1000	32	32000	
18 x 12	K12100	Carton	66	750	40	30000	
19 x 13	K13657	Carton	76	750	36	27000	

Brightness—94 Opacity—98 Paper Gloss—47 Caliper—.0076 PPI—262 ♻️10% recycled fiber¹ SFI Certified Sourcing FSC CoC certified²							
Digital for HP Indigo							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
18 x 12	K13078	Carton	66	750	40	30000	
19 x 13	K13101	Carton	76	750	36	27000	
20 ¹³ / ₁₆ x 29 ¹ / ₂	K13104	Carton	189	500	20	10000	

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Dull Cover

100lb/270gsm

Brightness—94 Opacity—99 Paper Gloss—47 Caliper—.0100 PPI—200 ♻️10% recycled fiber¹ SFI Certified Sourcing FSC CoC certified²							
Sheets							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
20 x 26	K588	Carton	200	800	16	12800	
	K12904	Skid	200			7000	
23 x 35	K589	Carton	310	500	16	8000	
	K12524	Skid	310			4000	
25 x 38	K594	Carton	366	400	16	6400	
	K10747	Skid	366			3500	
26 x 40	K596	Carton	400	400	16	6400	
	K12520	Skid	400			400	
28 x 40	K597	Carton	430	400	16	6400	
	K10746	Skid	430			3500	

Brightness—94 Opacity—99 Paper Gloss—47 Caliper—.0100 PPI—200 ♻️10% recycled fiber¹ SFI Certified Sourcing FSC CoC certified²							
Digital							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
17 x 11	K12101	Carton	72	750	32	24000	
18 x 12	K12097	Carton	83	600	40	24000	
19 x 13	K13659	Carton	95	600	36	21600	

Brightness—94 Opacity—99 Paper Gloss—47 Caliper—.0100 PPI—200 ♻️10% recycled fiber¹ SFI Certified Sourcing FSC CoC certified²							
Digital for HP Indigo							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
18 x 12	K13079	Carton	83	600	40	24000	
19 x 13	K13087	Carton	95	600	36	21600	
20 ¹³ / ₁₆ x 29 ¹ / ₂	K13090	Carton	236	400	20	8000	

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Dull Cover

120lb/325gsm

Brightness—94 Opacity—99 Paper Gloss—47 Caliper—.0120 PPI—166 ♻️10% recycled fiber¹ SFI Certified Sourcing FSC CoC certified²							
Sheets							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
20 x 26	K598	Carton	240	600	16	9600	
	K12908	Skid	240			6000	
23 x 35	K599	Carton	372	400	16	6400	
	K12905	Skid	372			3000	
25 x 38	K600	Carton	438	300	16	4800	
	K12522	Skid	438			3300	
26 x 40	K601	Carton	480	300	16	4800	
	K12523	Skid	480			3300	
28 x 40	K10980	Carton	516	300	16	4800	
	K12906	Skid	516			3000	

Brightness—94 Opacity—99 Paper Gloss—47 Caliper—.0120 PPI—166 ♻️10% recycled fiber¹ SFI Certified Sourcing FSC CoC certified²							
Digital							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
18 x 12	K13662	Carton	100	500	40	20000	
19 x 13	K13663	Carton	114	500	36	18000	

Brightness—94 Opacity—99 Paper Gloss—47 Caliper—.0120 PPI—166 ♻️10% recycled fiber¹ SFI Certified Sourcing FSC CoC certified²							
Digital for HP Indigo							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
18 x 12	K13080	Carton	100	500	40	20000	
19 x 13	K13092	Carton	114	500	36	18000	
20 ¹⁹ / ₁₆ x 29 ¹ / ₂	K13095	Carton	283	350	20	7000	

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Dull Cover

130lb/352gsm

Brightness—94 Opacity—99 Paper Gloss—47 Caliper—.0134 PPI—148 ♻️10% recycled fiber¹ SFI Certified Sourcing FSC CoC certified²							
Sheets							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
20 x 26	K13313	Carton	260	600	16	9600	
23 x 35	K13314	Carton	403	375	16	6000	
25 x 38	K13315	Carton	476	325	16	5200	
	K13316	Skid	476			3000	
26 x 40	K13317	Carton	520	275	16	4400	
	K13318	Skid	520			3000	
28 x 40	K13319	Carton	560	275	16	4400	

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Satin Text

60lb/89gsm

Brightness—92 Opacity—93 Paper Gloss—40 Caliper—.0030 PPI—658 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Web			
SIZE	CODE	PUT UP	DIAMETER	
35½	K12571	Roll	49	
38	K12572	Roll	49	

70lb/104gsm

Brightness—92 Opacity—94 Paper Gloss—40 Caliper—.0036 PPI—562 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Web			
SIZE	CODE	PUT UP	DIAMETER	
26½	K12518	Roll	49	
35½	K12708	Roll	49	
38	K12830	Roll	49	

80lb/118gsm

Brightness—92 Opacity—95 Paper Gloss—40 Caliper—.0042 PPI—482 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Web			
SIZE	CODE	PUT UP	DIAMETER	
26½	K12707	Roll	49	
35½	K12709	Roll	49	
38	K2326	Roll	49	

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Matte Text

60lb/89gsm

Brightness—92 Opacity—91.5 Paper Gloss—22 Caliper—.0032 PPI—626 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Web			
SIZE		PUT UP	DIAMETER	
35½	K12700	Roll	50	

70lb/104gsm

Brightness—94 Opacity—93.5 Paper Gloss—22 Caliper—.0038 PPI—526 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ³	Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET	
23 x 35	K532	Carton	119	1200	16	19200	
	K50503	Skid	119			9500	
25 x 38	K534	Carton	140	1000	16	16000	
	K50506	Skid	140			9500	
28 x 40	K535	Carton	166	900	16	14400	

Brightness—92 Opacity—93.5 Paper Gloss—22 Caliper—.0038 PPI—526 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Web			
SIZE	CODE	PUT UP	DIAMETER	
18	K12698	Roll	50	
26½	K12821	Roll	50	
35½	K12701	Roll	50	

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.
- 3 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Matte Text

80lb/118gsm

Brightness—94 Opacity—94.5 Paper Gloss—36 Caliper—.0041 PPI—488 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
	23 x 35	K539	Carton	136	1100	16	17600
		K50512	Skid	136			8000
	25 x 38	K542	Carton	160	1000	16	16000
		K50514	Skid	160			8000
	28 x 40	K543	Carton	188	800	16	12800
		K50515	Skid	188			8000

Brightness—92 Opacity—95 Paper Gloss—36 Caliper—.0041 PPI—488 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ³	Web			
	SIZE	CODE	PUT UP	DIAMETER
	18	K12699	Roll	50
	35½	K12702	Roll	50

100lb/148gsm

Brightness—94 Opacity—97 Paper Gloss—36 Caliper—.0053 PPI—376 ♻️10% recycled fiber ¹ SFI Certified Sourcing FSC CoC certified ²	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
	23 x 35	K549	Carton	169	900	16	14400
		K50519	Skid	169			6000
	25 x 38	K553	Carton	200	800	16	12800
		K50526	Skid	200			6000
	28 x 40	K554	Carton	236	600	16	9600

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 2 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 3 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus Matte Cover

65lb/176gsm

Brightness—94 Opacity—97.5 Paper Gloss—36 Caliper—.0072 Guar. Caliper—7pt ¹ PPI—278 ♻️10% recycled fiber ² SFI Certified Sourcing FSC CoC certified ³	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
	23 x 35	K1736	Carton	201	750	16	12000
		K1737	Carton	260	600	16	9600
	26 x 40	K12902	Skid	260			5500
	28 x 40	K1738	Carton	280	500	16	8000

Brightness—92 Opacity—97.5 Paper Gloss—36 Caliper—.0072 Guar. Caliper—7pt ¹ PPI—278 ♻️10% recycled fiber ² SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ⁴	Web			
	SIZE	CODE	PUT UP	DIAMETER
	35½	K12703	Roll	50

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.
- 2 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 3 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 4 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus PS Gloss Cover

70lb/190gsm

Brightness—94 Opacity—98 Paper Gloss—65 Caliper—.0071 Guar. Caliper—7pt ¹ PPI—282 ♻️10% recycled fiber ² SFI Certified Sourcing FSC CoC certified ³	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
	25 x 38	K12005	Skid	256			5000
	28 x 40	K12006	Skid	302			5000

Brightness—92
Opacity—98
Paper Gloss—65
Caliper—.0071
Guar. Caliper—7pt¹
PPI—282
♻️10% recycled fiber²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified⁴

Web			
SIZE	CODE	PUT UP	DIAMETER
18	K12553	Roll	50
23	K12585	Roll	50
26½	K12022	Roll	50
35½	K12023	Roll	50
38	K12021	Roll	50

78lb/210gsm

Brightness—92 Opacity—98 Paper Gloss—65 Caliper—.0080 PPI—250 ♻️10% recycled fiber ² SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ⁴	Web			
	SIZE	CODE	PUT UP	DIAMETER
	19	K12028	Roll	50
	35½	K12575	Roll	50
	38	K12576	Roll	50

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.
- 2 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 3 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 4 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus PS Gloss Cover

87lb/235gsm

Brightness—94 Opacity—98 Paper Gloss—65 Caliper—.0092 Guar. Caliper—9pt ¹ PPI—218 ♻️10% recycled fiber ² SFI Certified Sourcing FSC CoC certified ³	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
	24 x 36	K14170	Skid	290			4000
	25 x 38	K12008	Carton	318	500	16	8000
		K12011	Skid	318			4000
	26 x 40	K12012	Skid	348			4000
	28 x 40	K12010	Carton	374	400	16	6400
		K12013	Skid	374			4000

Brightness—92
Opacity—98
Paper Gloss—65
Caliper—.0092
Guar. Caliper—9pt¹
PPI—218
♻️10% recycled fiber²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified⁴

Web			
SIZE	CODE	PUT UP	DIAMETER
18	K12799	Roll	50
23½	K12588	Roll	50
26½	K12035	Roll	50
35	K12587	Roll	50
35½	K12036	Roll	50
38	K12037	Roll	50

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.
- 2 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 3 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 4 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus PS Dull Cover

70lb/190gsm

Brightness—92
Opacity—98.0
Paper Gloss—43
Caliper—.0071
Guar. Caliper—7pt¹
PPI—282
♻️10% recycled fiber²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Web			
SIZE	CODE	PUT UP	DIAMETER
35½	K12773	Roll	50
38	K12802	Roll	50

87lb/235gsm

Brightness—92
Opacity—98.0
Paper Gloss—43
Caliper—.0092
Guar. Caliper—9pt⁴
PPI—218
♻️10% recycled fiber²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Web			
SIZE	CODE	PUT UP	DIAMETER
18	K12803	Roll	50
38	K12805	Roll	50

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.
- 2 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 3 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.
- 4 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Opus PS Matte Text Reply Card

105lb/155gsm

Brightness—94
Opacity—97.5
Paper Gloss—15
Caliper—.0072
Guar. Caliper—7pt¹
PPI—278
♻️10% recycled fiber²
SFI Certified Sourcing
FSC CoC certified³

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
25 x 38	K12113	Skid	210			5000
28 x 40	K12110	Carton	248	600	16	9600

Brightness—92
Opacity—97.5
Paper Gloss—15
Caliper—.0072
Guar. Caliper—7pt¹
PPI—278
♻️10% recycled fiber²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified⁴

Web			
SIZE	CODE	PUT UP	DIAMETER
23½	K12108	Roll	50

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.
- 2 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 3 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 4 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

80lb/216gsm

Brightness—94
Opacity—98.5
Paper Gloss—36
Caliper—.0093
Guar. Caliper—9pt¹
PPI—214
10% recycled fiber²
SFI Certified Sourcing
FSC CoC certified³

Sheets

SIZE	CODE	PUT UP	M WEIGHT	SHEETS / CARTON	CARTONS / PALLET	SHEETS / PALLET
23 x 35	K12119	Carton	248	600	16	9600
	K12389	Skid	248			4400
25 x 38	K12120	Carton	292	500	16	8000
	K12388	Skid	292			4400
26 x 40	K12116	Carton	320	500	16	8000
	K12118	Skid	320			4000
28 x 40	K12117	Carton	344	400	16	6400
	K12121	Skid	344			4400

Web

SIZE	CODE	PUT UP	DIAMETER
38	K12047	Roll	50

Brightness—92
Opacity—98.5
Paper Gloss—36
Caliper—.0093
Guar. Caliper—9pt¹
PPI—214
10% recycled fiber²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified⁴

All grades are acid-free and meet the permanence of paper criteria specified by ANSI/NISO Z39.48-1992 (R2009). Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. All grades are manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching and recycled fiber consistent with EPA definitions, which is processed chlorine-free (PCF). Learn more about recycled fiber at sappi.com/RF.

- 1 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.
- 2 Opus sheets are sold standard with 10% recycled fiber. Opus web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 3 All Opus sheet products are sold standard with SFI Certified Sourcing and FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request either an SFI or PEFC CoC claim, based on availability of credits.
- 4 All Opus web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Somerset



The fine line between style and substance.

Beauty and strength, together in one powerful package that's perfect for publishers, direct mailers, catalogers, and printers alike. At Somerset, our one-of-a-kind manufacturing process produces sturdy paper with a smooth surface that allows images to pop off the page. The strength of the product translates directly into remarkable on-press efficiency and a heftier, more substantial feel in the finished piece. With Somerset®, you always get stunning results that demand your audience's attention.

A new definition of powerful

Somerset is the only mill that combines papermaking, coating, and calendering into a single continuous process. This means a stronger paper with more bulk and fewer splices, which is critical to high-volume web printing. The process also creates a smoother surface that allows ink to stay higher up on the paper for superior hold-out and print gloss—delivering rich, arresting imagery and a completely immersive experience.

Peace of mind

Somerset paper is built to withstand the demands of our continuous 4,000-feet-per-minute manufacturing process without breaking, making it the perfect solution for high-intensity printing environments. Its incredible durability means fewer web breaks and less downtime, which also means less hassle and fewer surprise costs. And the Somerset Mill uses three machines—all capable of producing a high volume of multiple weights and finishes—helping to ensure your project comes in on time.

A difference you can feel

Somerset delivers a far more substantial feel when compared to similar basis weight papers. This is critical for publishers and direct mailers because it allows for a lighter weight while maintaining a powerful, tactile experience that your customers will want to keep in their hands longer.

Stocked basis weights

Web					
TEXT OR COVER	BASIS WEIGHT (lb/gsm)	GUAR. CALIPER	GLOSS	SATIN	MATTE
Text	50/74		•	•	•
	60/89		•	•	•
	70/104		•	•	•
	80/118		•	•	•
	100/148		•	•	•
Cover	105/155 ¹	7pt ²			•
	68/185	7pt ²	•		
	80/216	7pt ²	•		
	80/216	9pt ³			•
	82/222	9pt ³	•		

Specifications

- FINISHES**
Gloss, Satin, Matte
- PUT UP**
Rolls
- SHADE**
Blue white
- L*a*b PAPER WHITE⁴**
95.00, 1.00, -2.10
- RECYCLED FIBER CONTENT WEB**
10% available upon request
- CERTIFICATIONS**
SFI Certified Sourcing
Either FSC, SFI, or PEFC
CoC certified⁵

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Matte Reply Card.
2 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.
3 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.
4 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.
5 All Somerset web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits. All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Somerset Gloss Text

50lb/74gsm

Brightness—88
Opacity—90.5
Paper Gloss—70
Caliper—.0024
PPI—820
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Web			
SIZE	CODE	PUT UP	DIAMETER
35	K12505	Roll	49
38	K13683	Roll	49

60lb/89gsm

Brightness—88
Opacity—92
Paper Gloss—70
Caliper—.0029
PPI—690
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Web			
SIZE	CODE	PUT UP	DIAMETER
17½	K12710	Roll	49
18	K12714	Roll	49
23	K11849	Roll	49
23½	K12718	Roll	49
26½	K39937	Roll	49
33	K36265	Roll	49
33½	K12720	Roll	49
34½	K35985	Roll	49
35	K35987	Roll	49
35½	K1644	Roll	49
38	K11807	Roll	49
52	K12354	Roll	49

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Somerset web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

2 All Somerset web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Somerset Gloss Text

70lb/104gsm

Brightness—88
Opacity—93
Paper Gloss—70
Caliper—.0034
PPI—590
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Web			
SIZE	CODE	PUT UP	DIAMETER
17½	K12711	Roll	49
18	K12715	Roll	49
23	K11851	Roll	49
23½	K39942	Roll	49
26½	K11852	Roll	49
33	K35988	Roll	49
33½	K12721	Roll	49
34½	K35989	Roll	49
35	K35990	Roll	49
35½	K39957	Roll	49
38	K39959	Roll	49

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Somerset web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

2 All Somerset web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

80lb/118gsm

Brightness—88
Opacity—94
Paper Gloss—70
Caliper—.0040
PPI—504
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Web			
SIZE	CODE	PUT UP	DIAMETER
17½	K12712	Roll	49
18	K12580	Roll	49
19	K12832	Roll	49
23	K12716	Roll	49
23½	K12581	Roll	49
26½	K12833	Roll	49
33	K39971	Roll	49
33½	K12604	Roll	49
34½	K35991	Roll	49
35	K35992	Roll	49
35½	K12053	Roll	49
38	K39206	Roll	49

100lb/148gsm

Brightness—88
Opacity—96
Paper Gloss—70
Caliper—.0052
PPI—382
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Web			
SIZE	CODE	PUT UP	DIAMETER
17½	K12713	Roll	49
23	K12717	Roll	49
23½	K12583	Roll	49
26½	K10889	Roll	49
33	K10890	Roll	49
35	K12722	Roll	49
35½	K12509	Roll	49
38	K12584	Roll	49

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Somerset web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

2 All Somerset web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Somerset web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

2 All Somerset web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Somerset Gloss Cover

68lb/185gsm

Brightness—88 Opacity—98 Paper Gloss—65 Caliper—.0072 Guar. Caliper—7pt ¹ PPI—278 ♻️10% recycled fiber ² SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ³	Web			
	SIZE	CODE	PUT UP	DIAMETER
	18	K13589	Roll	49
	23	K13248	Roll	49
	26½	K13369	Roll	49
	35½	K13249	Roll	49
	38	K13250	Roll	49

80lb/216gsm

Brightness—88 Opacity—98 Paper Gloss—70 Caliper—.0073 Guar. Caliper—7pt ¹ PPI—276 ♻️10% recycled fiber ² SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ³	Web			
	SIZE	CODE	PUT UP	DIAMETER
	18	K12816	Roll	49
	35½	K12817	Roll	49
	38	K12818	Roll	49

82lb/222gsm

Brightness—88 Opacity—98 Paper Gloss—65 Caliper—.0092 Guar. Caliper—9pt ¹ PPI—218 ♻️10% recycled fiber ² SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ³	Web			
	SIZE	CODE	PUT UP	DIAMETER
	23	K13911	Roll	49
	26½	K13912	Roll	49
	35	K13913	Roll	49
	35½	K13914	Roll	49
	38	K13915	Roll	49

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

- 1 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.
- 2 Somerset web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 3 All Somerset web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.
- All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Somerset Satin Text

50lb/74gsm

Brightness—88 Opacity—90.5 Paper Gloss—28 Caliper—.0027 PPI—730 ♻️10% recycled fiber ¹ Either FSC, SFI, or PEFC CoC certified ²	Web			
	SIZE	CODE	PUT UP	DIAMETER
	35	K13682	Roll	49

60lb/89gsm

Brightness—88 Opacity—93 Paper Gloss—30 Caliper—.0031 PPI—656 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Web			
	SIZE	CODE	PUT UP	DIAMETER
	35	K11809	Roll	49
	35½	K12737	Roll	49
	38	K12527	Roll	49

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

- 1 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.
- 2 Somerset web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 3 All Somerset web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.
- All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Somerset Satin Text

70lb/104gsm

Brightness—88 Opacity—94 Paper Gloss—30 Caliper—.0036 PPI—558 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Web			
SIZE	CODE	PUT UP	DIAMETER	
35	K11808	Roll	49	
35½	K12738	Roll	49	
38	K33436	Roll	49	

80lb/118gsm

Brightness—88 Opacity—95 Paper Gloss—30 Caliper—.0042 PPI—478 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Web			
SIZE	CODE	PUT UP	DIAMETER	
35½	K12532	Roll	49	

100lb/148gsm

Brightness—88 Opacity—96 Paper Gloss—30 Caliper—.0054 PPI—368 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Web			
SIZE	CODE	PUT UP	DIAMETER	
35	K13723	Roll	49	

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at [sappi.com/RF](https://www.sappi.com/RF).

1 Somerset web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

2 All Somerset web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit [sappi.com](https://www.sappi.com) for the most up-to-date product specifications and available certifications.

Somerset Matte Text

50lb/74gsm¹

Brightness—88 Opacity—92 Paper Gloss—18 Caliper—.0029 PPI—700 ♻️10% recycled fiber ² SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ³	Web			
SIZE	CODE	PUT UP	DIAMETER	
35	K32370	Roll	49	

60lb/89gsm

Brightness—88 Opacity—93 Paper Gloss—22 Caliper—.0032 PPI—620 ♻️10% recycled fiber ² SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ³	Web			
SIZE	CODE	PUT UP	DIAMETER	
18	K32362	Roll	49	
35	K12729	Roll	49	
35½	K12732	Roll	49	
38	K32363	Roll	49	

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at [sappi.com/RF](https://www.sappi.com/RF).

1 Somerset web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

2 All Somerset web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit [sappi.com](https://www.sappi.com) for the most up-to-date product specifications and available certifications.

Somerset Matte Text

70lb/104gsm

Brightness—88 Opacity—94 Paper Gloss—22 Caliper—.0038 PPI—526 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Web			
	SIZE	CODE	PUT UP	DIAMETER
	18	K17053	Roll	49
	23½	K12725	Roll	49
	26½	K12727	Roll	49
	30	K13552	Roll	49
	35	K12730	Roll	49
	35½	K12733	Roll	49
	38	K11857	Roll	49

80lb/118gsm

Brightness—88 Opacity—95 Paper Gloss—22 Caliper—.0045 PPI—448 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Web			
	SIZE	CODE	PUT UP	DIAMETER
	23½	K12726	Roll	49
	35	K12731	Roll	49
	35½	K12734	Roll	49

100lb/148gsm

Brightness—88 Opacity—96 Paper Gloss—23 Caliper—.0058 PPI—346 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Web			
	SIZE	CODE	PUT UP	DIAMETER
	35	K17318	Roll	49
	35½	K13741	Roll	49

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

- 1 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.
- 2 Somerset web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 3 All Somerset web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Somerset Matte Text Reply Card

105lb/155gsm

Brightness—88 Opacity—97 Paper Gloss—15 Caliper—.0071 Guar. Caliper—7pt ¹ PPI—282 ♻️10% recycled fiber ² SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ³	Web			
	SIZE	CODE	PUT UP	DIAMETER
	18	K13134	Roll	49
	23	K13133	Roll	49
	26½	K13132	Roll	49
	35½	K13131	Roll	49
	38	K13130	Roll	49

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

- 1 Meets SIMRA/NASTA specifications.
- 2 Somerset web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 3 All Somerset web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Somerset Matte Cover

80lb/216gsm

Brightness—88
Opacity—98.5
Paper Gloss—25
Caliper—.0094
Guar. Caliper—9pt¹
PPI—214
♻️10% recycled fiber²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Web			
SIZE	CODE	PUT UP	DIAMETER
26½	K13677	Roll	49

Flo

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

- 1 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.
 - 2 Somerset web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
 - 3 All Somerset web products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.
- All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.



The fine line between price and performance.

Greatness doesn't guarantee an unlimited budget.

That's why we've engineered Flo® to give you the quality you expect from Sappi paper at a price that makes it hard to resist. Flo's superior color balance helps your brand look its best under a variety of lighting conditions. And because Flo is a great match to most standard proofing media, what you see before you print is what you get in the final product. With Flo, you get an exceptional experience that fits within your cost structure.

Celebrated for so much more than price

Sappi is chosen for our quality ingredients, environmental responsibility, reliable on-press performance, and attention to the smallest of details. Flo brings you dynamic features at a practical price so you can meet the demands of your brand and your budget.

A natural beauty

Flo's superior print surface, balanced shade, and optimized brightness provide accurate color reproduction while enhancing vibrant, fully saturated colors. With Flo, skin tones look natural, images are true, and critical colors are spot-on—reflecting beautifully on your brand.

What you saw is what you'll see

Flo is engineered for consistency—both in surface uniformity and for optimal printed color stability. It's the printer's choice for accurately matching color proofs and ensuring that what you saw on press is what you'll see in the final piece. Your printed color becomes more predictable in any environment—whether on press, in the office, or outside in natural lighting conditions.

Stocked basis weights

Sheets					
TEXT OR COVER	BASIS WEIGHT (lb/gsm)	GUAR. CALIPER	GLOSS	DULL	MATTE
Text	60/89				●
	70/104		●	●	●
	80/118		●	●	●
	100/148		●	●	●
	110/162 ¹	7pt ²			●
Cover	80/216	7pt ²	●	●	
	80/216	9pt ³			●
	100/270	9pt ³	●	●	
	120/325		●	●	

Web					
TEXT OR COVER	BASIS WEIGHT (lb/gsm)	GUAR. CALIPER	GLOSS	DULL	MATTE
Text	40/59		●		●
	45/67		●		
	50/74		●		
	60/89		●		
	70/104		●		

Digital					
TEXT OR COVER	BASIS WEIGHT (lb/gsm)	GUAR. CALIPER	GLOSS	DULL	MATTE
Text	80/118		●	●	
	100/148		●	●	
Cover	80/216	7pt ²	●	●	
	100/270	9pt ³	●	●	
	120/325		●	●	

Specifications

- FINISHES
- Gloss, Dull, Matte
- PUT UP
- Cartons, Skids, Rolls
- SHADE
- Blue white
- L*a*b PAPER WHITE SHEETS⁴
- 95.80, 1.22, -3.25
- L*a*b PAPER WHITE WEB (40-50LB)⁴
- 92.50, 0.82, -1.75
- L*a*b PAPER WHITE WEB (60-70LB)⁴
- 93.40, 0.93, -1.95
- RECYCLED FIBER CONTENT SHEETS
- 10%
- RECYCLED FIBER CONTENT WEB
- 10% available upon request
- RECYCLED FIBER CONTENT DIGITAL
- 10%
- CERTIFICATIONS
- SFI Certified Sourcing
- Either FSC, SFI, or PEFC
- CoC certified⁵

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Matte Reply Card.
2 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.
3 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.
4 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.
5 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.
All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo Gloss Text

40lb/59gsm

Brightness—82 Opacity—88 Paper Gloss—55 Caliper—.0020 PPI—996 SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ¹	Web			
	SIZE	CODE	PUT UP	DIAMETER
	35	K16453	Roll	49

45lb/67gsm

Brightness—82 Opacity—89.5 Paper Gloss—60 Caliper—.0023 PPI—882 ♻️10% recycled fiber ² SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ¹	Web			
	SIZE	CODE	PUT UP	DIAMETER
	35	K16459	Roll	49

50lb/74gsm

Brightness—82 Opacity—90 Paper Gloss—60 Caliper—.0025 PPI—792 ♻️10% recycled fiber ² SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ¹	Web			
	SIZE	CODE	PUT UP	DIAMETER
	35	K16452	Roll	49

60lb/89gsm

Brightness—83 Opacity—92 Paper Gloss—60 Caliper—.0029 PPI—680 ♻️10% recycled fiber ² SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ¹	Web			
	SIZE	CODE	PUT UP	DIAMETER
	35	K13680	Roll	49

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

2 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo Gloss Text

70lb/104gsm

Brightness—90 Opacity—91.5 Paper Gloss—68 Caliper—.0031 PPI—638 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
	19 x 25	K11029	Carton	70	2000	16	32000
		K11024	Skid	70			22000
	23 x 35	K11030	Carton	119	1200	16	19200
		K11025	Skid	119			11000
	24 x 36	K11031	Carton	128	1200	16	19200
		K11026	Skid	128			11000
	25 x 38	K11032	Carton	140	1000	16	16000
		K11027	Skid	140			11000
	28 x 40	K11033	Carton	166	900	16	14400
		K11028	Skid	166			11000

Brightness—83 Opacity—93 Paper Gloss—60 Caliper—.0035 PPI—572 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Web			
	SIZE	CODE	PUT UP	DIAMETER
	35	K13693	Roll	49

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

2 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo Gloss Text

80lb/118gsm

Brightness—90 Opacity—93 Paper Gloss—68 Caliper—.0035 PPI—572 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²							
Sheets							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET	
19 x 25	K11039	Carton	80	2000	16	32000	
	K11034	Skid	80			20000	
23 x 29	K11379	Carton	112	1400	16	22400	
	K11841	Skid	112			11600	
23 x 35	K11040	Carton	136	1100	16	17600	
	K11035	Skid	136			9500	
24 x 36	K11041	Carton	146	1000	16	16000	
	K11036	Skid	146			9500	
25 x 38	K11042	Carton	160	1000	16	16000	
	K11037	Skid	160			10000	
28 x 40	K11043	Carton	188	800	16	12800	
	K11038	Skid	188			10000	

Brightness—90 Opacity—93 Paper Gloss—68 Caliper—.0035 PPI—572 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²							
Digital							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET	
11 x 17	K11943	Carton	31	2000	32	64000	
12 x 18	K11947	Carton	36	1500	40	60000	
13 x 19	K11955	Carton	42	1500	36	54000	
14 x 20	K11951	Carton	47	1200	36	43200	
29½ x 20 ¹³ / ₁₆	K13237	Carton	103	1000	20	20000	
	K13685	Skid	103			9200	

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

2 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo Gloss Text

100lb/148gsm

Brightness—90 Opacity—96.5 Paper Gloss—68 Caliper—.0043 PPI—466 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²							
Sheets							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET	
19 x 25	K11049	Carton	100	1600	16	25600	
	K11044	Skid	100			15000	
23 x 29	K11380	Carton	140	1100	16	17600	
	K11842	Skid	140			8400	
23 x 35	K11050	Carton	169	900	16	14400	
	K11045	Skid	169			7500	
24 x 36	K11051	Carton	182	800	16	12800	
	K11046	Skid	182			8000	
25 x 38	K11052	Carton	200	800	16	12800	
	K11047	Skid	200			8000	
28 x 40	K11053	Carton	236	600	16	9600	
	K11048	Skid	236			8000	

Brightness—90 Opacity—96.5 Paper Gloss—68 Caliper—.0043 PPI—466 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²							
Digital							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET	
11 x 17	K11944	Carton	39	1500	32	48000	
12 x 18	K11948	Carton	45	1200	40	48000	
13 x 19	K11956	Carton	52	1000	36	36000	
14 x 20	K11952	Carton	59	1000	36	36000	
29½ x 20 ¹³ / ₁₆	K13146	Carton	129	800	20	16000	
	K13686	Skid	129			7200	

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

2 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo Gloss Cover

80lb/216gsm

Brightness—90
Opacity—97.5
Paper Gloss—68
Caliper—.0072
Guar. Caliper—7pt¹
PPI—278
♻️10% recycled fiber²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 x 25	K11150	Carton	146	1000	16	16000
	K11149	Skid	146			9000
20 x 26	K11055	Carton	160	1000	16	16000
	K11197	Skid	160			9000
23 x 29	K11416	Carton	205	750	16	12000
23 x 35	K11056	Carton	248	600	16	9600
	K11151	Skid	248			4500
24 x 36	K11216	Skid	266			4500
25 x 38	K11057	Carton	292	500	16	8000
	K11054	Skid	292			4500
26 x 40	K11058	Carton	320	500	16	8000
	K11198	Skid	320			4500
28 x 40	K11059	Carton	344	400	16	6400
	K11199	Skid	344			4500

Brightness—90
Opacity—97.5
Paper Gloss—68
Caliper—.0072
Guar. Caliper—7pt¹
PPI—278
♻️10% recycled fiber²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
17 x 11	K11945	Carton	58	1000	32	32000
18 x 12	K11949	Carton	66	750	40	30000
19 x 13	K11957	Carton	76	750	36	27000
20 x 14	K11953	Carton	86	600	36	21600
20½ x 14⅓	K11987	Carton	90	600	36	21600
20⅓⅓ x 29½	K13147	Carton	189	500	20	10000
	K13687	Skid	189			4500

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.

2 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

3 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo Gloss Cover

100lb/270gsm

Brightness—90
Opacity—99
Paper Gloss—68
Caliper—.0093
Guar. Caliper—9pt¹
PPI—214
♻️10% recycled fiber²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 x 25	K11153	Carton	183	800	16	12800
	K11152	Skid	183			8000
20 x 26	K11061	Carton	200	800	16	12800
	K11200	Skid	200			8000
23 x 29	K11417	Carton	257	600	16	9600
	K11844	Skid	257			4200
23 x 35	K11062	Carton	310	500	16	8000
	K11154	Skid	310			4000
24 x 36	K12785	Skid	332			4000
25 x 38	K11063	Carton	366	400	16	6400
	K11060	Skid	366			4000
26 x 40	K11064	Carton	400	400	16	6400
	K11201	Skid	400			4000
28 x 40	K11065	Carton	430	400	16	6400
	K11202	Skid	430			4000

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
17 x 11	K11946	Carton	72	750	32	24000
18 x 12	K11950	Carton	83	600	40	24000
19 x 13	K11958	Carton	95	600	36	21600
20 x 14	K11954	Carton	108	500	36	18000
20½ x 14⅓	K11988	Carton	113	500	36	18000
20⅓⅓ x 29½	K13148	Carton	236	400	20	8000
	K13688	Skid	236			3500

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.

2 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

3 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo Gloss Cover

120lb/325gsm

Brightness—90
Opacity—99
Paper Gloss—68
Caliper—.0110
PPI—182
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
20 x 26	K13561	Carton	240	625	16	10000
	K13560	Skid	240			6000
23 x 35	K13563	Carton	372	400	16	6400
	K13562	Skid	372			3000
25 x 38	K13565	Carton	438	375	16	6000
	K13564	Skid	438			3000
26 x 40	K13567	Carton	480	300	16	4800
	K13566	Skid	480			3000
28 x 40	K13569	Carton	516	300	16	4800
	K13568	Skid	516			3000

Brightness—90
Opacity—99
Paper Gloss—68
Caliper—.0110
PPI—182
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
18 x 12	K13580	Carton	100	500	40	20000
19 x 13	K13581	Carton	114	500	36	18000
20 x 14	K13583	Carton	129	500	36	18000
20 ¹³ / ₁₆ x 29 ¹ / ₂	K13582	Carton	283	350	20	7000

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

2 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo Dull Text

70lb/104gsm

Brightness—90
Opacity—92
Paper Gloss—47
Caliper—.0033
PPI—612
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 x 25	K10987	Carton	70	2000	16	32000
	K10982	Skid	70			19000
23 x 35	K10988	Carton	119	1200	16	19200
	K10983	Skid	119			11000
24 x 36	K10989	Carton	128	1200	16	19200
	K10984	Skid	128			11000
25 x 38	K10990	Carton	140	1000	16	16000
	K10985	Skid	140			11000
28 x 40	K10991	Carton	166	900	16	14400
	K10986	Skid	166			11000

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

2 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo Dull Text

80lb/118gsm

Brightness—90 Opacity—94 Paper Gloss—47 Caliper—.0036 PPI—556 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²							
Sheets							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET	
19 x 25	K10997	Carton	80	2000	16	32000	
	K10992	Skid	80			19000	
23 x 29	K11381	Carton	112	1300	16	20800	
	K11845	Skid	112			11600	
23 x 35	K10998	Carton	136	1100	16	17600	
	K10993	Skid	136			9500	
24 x 36	K10994	Skid	146			9500	
25 x 38	K11082	Carton	160	1000	16	16000	
	K10995	Skid	160			9500	
28 x 40	K11083	Carton	188	800	16	12800	
	K10996	Skid	188			8500	

Brightness—90 Opacity—94 Paper Gloss—47 Caliper—.0036 PPI—556 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²							
Digital							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET	
11 x 17	K11959	Carton	31	2000	32	64000	
12 x 18	K11963	Carton	36	1500	40	60000	
13 x 19	K11971	Carton	42	1500	36	54000	
14 x 20	K11967	Carton	47	1200	36	43200	
29½ x 20 ¹³ / ₁₆	K13238	Carton	103	1000	20	20000	
	K13689	Skid	103			8700	

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

2 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo Dull Text

100lb/148gsm

Brightness—90 Opacity—96.5 Paper Gloss—47 Caliper—.0047 PPI—426 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²							
Sheets							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET	
19 x 25	K11007	Carton	100	1600	16	25600	
	K11002	Skid	100			15000	
23 x 29	K11382	Carton	140	1000	16	16000	
	K11846	Skid	140			8400	
23 x 35	K11008	Carton	169	900	16	14400	
	K11003	Skid	169			7500	
24 x 36	K11009	Carton	182	800	16	12800	
	K11004	Skid	182			7500	
25 x 38	K11010	Carton	200	800	16	12800	
	K11005	Skid	200			7500	
28 x 40	K11011	Carton	236	600	16	9600	
	K11006	Skid	236			7500	

Brightness—90 Opacity—96.5 Paper Gloss—47 Caliper—.0047 PPI—426 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²							
Digital							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET	
11 x 17	K11960	Carton	39	1500	32	48000	
12 x 18	K11964	Carton	45	1200	40	48000	
13 x 19	K11972	Carton	52	1000	36	36000	
14 x 20	K11968	Carton	59	1000	36	36000	
29½ x 20 ¹³ / ₁₆	K13143	Carton	129	800	20	16000	
	K13690	Skid	129			6900	

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

2 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo Dull Cover

80lb/216gsm

Brightness—90
Opacity—97.5
Paper Gloss—47
Caliper—.0075
Guar. Caliper—7pt¹
PPI—268
♻️10% recycled fiber²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 x 25	K11144	Carton	146	1000	16	16000
	K11143	Skid	146			9000
20 x 26	K11013	Carton	160	1000	16	16000
23 x 29	K11419	Carton	205	700	16	11200
23 x 35	K11014	Carton	248	600	16	9600
	K11145	Skid	248			4500
25 x 38	K11015	Carton	292	500	16	8000
	K11012	Skid	292			4500
26 x 40	K11016	Carton	320	500	16	8000
	K11204	Skid	320			4500
28 x 40	K11017	Carton	344	400	16	6400

Brightness—90
Opacity—97.5
Paper Gloss—47
Caliper—.0075
Guar. Caliper—7pt¹
PPI—268
♻️10% recycled fiber²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
17 x 11	K11961	Carton	58	1000	32	32000
18 x 12	K11965	Carton	66	750	40	30000
19 x 13	K11973	Carton	76	750	36	27000
20 x 14	K11969	Carton	86	600	36	21600
20 ¹³ / ₁₆ x 29 ¹ / ₂	K13144	Carton	189	500	20	10000
	K13691	Skid	189			4200

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.

2 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

3 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo Dull Cover

100lb/270gsm

Brightness—90
Opacity—99
Paper Gloss—47
Caliper—.0099
Guar. Caliper—9pt¹
PPI—202
♻️10% recycled fiber²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 x 25	K11147	Carton	183	800	16	12800
	K11146	Skid	183			7000
20 x 26	K11019	Carton	200	800	16	12800
23 x 29	K11420	Carton	257	550	16	8800
23 x 35	K11020	Carton	310	500	16	8000
	K11148	Skid	310			3500
25 x 38	K11021	Carton	366	400	16	6400
	K11018	Skid	366			3500
26 x 40	K11022	Carton	400	400	16	6400
	K13559	Skid	400			4000
28 x 40	K11023	Carton	430	400	16	6400
	K11208	Skid	430			3500

Brightness—90
Opacity—99
Paper Gloss—47
Caliper—.0099
Guar. Caliper—9pt¹
PPI—202
♻️10% recycled fiber²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
18 x 12	K11966	Carton	83	600	40	24000
19 x 13	K11974	Carton	95	600	36	21600
20 x 14	K11970	Carton	108	500	36	18000
20 ¹ / ₂ x 14 ¹ / ₃	K11990	Carton	113	500	36	18000
20 ¹³ / ₁₆ x 29 ¹ / ₂	K13145	Carton	236	400	20	8000
	K13692	Skid	236			3200

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.

2 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

3 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo Dull Cover

120lb/325gsm

Brightness—90
Opacity—99
Paper Gloss—47
Caliper—.0121
PPI—168
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
20 x 26	K13571	Carton	240	625	16	10000
	K13570	Skid	240			6000
23 x 35	K13573	Carton	372	400	16	6400
	K13572	Skid	372			3000
25 x 38	K13575	Carton	438	375	16	6000
	K13574	Skid	438			3000
26 x 40	K13577	Carton	480	300	16	4800
	K13576	Skid	480			3000
28 x 40	K13579	Carton	516	300	16	4800
	K13578	Skid	516			3000

Brightness—90
Opacity—99
Paper Gloss—47
Caliper—.0121
PPI—168
♻️10% recycled fiber¹
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified²

Digital						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
18 x 12	K13585	Carton	100	500	40	20000
19 x 13	K13586	Carton	114	500	36	18000
20 x 14	K13588	Carton	129	500	36	18000
20 ¹³ / ₁₆ x 29 ¹ / ₂	K13587	Carton	283	350	20	7000

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

2 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo Matte Text

40lb/59gsm¹

Brightness—82
Opacity—90
Paper Gloss—29
Caliper—.0022
PPI—²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified⁴

Web			
SIZE	CODE	PUT UP	DIAMETER
35	K16451	Roll	49

60lb/89gsm

Brightness—90
Opacity—92
Paper Gloss—22
Caliper—.0032
PPI—626
♻️10% recycled fiber³
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified⁴

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 x 25	K11810	Carton	60	2400	16	38400
23 x 35	K11813	Skid	102			13000
24 x 36	K12882	Skid	110			13000
25 x 38	K11815	Skid	120			13000
28 x 40	K11817	Skid	142			13000

70lb/104gsm

Brightness—90
Opacity—94
Paper Gloss—22
Caliper—.0038
PPI—526
♻️10% recycled fiber³
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified⁴

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 x 25	K11819	Skid	70			22000
23 x 35	K11820	Carton	119	1200	16	19200
	K11821	Skid	119			10500
24 x 36	K11991	Skid	128			11000
25 x 38	K11823	Skid	140			10500
28 x 40	K11825	Skid	166			10500

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Meets SIMRA/NASTA specifications.

2 For PPI information, please contact your Sappi sales representative.

3 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

4 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

Flo Matte Text

80lb/118gsm

Brightness—90 Opacity—94.5 Paper Gloss—36 Caliper—.0041 PPI—488 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
	23 x 35	K11827	Carton	136	1100	16	17600
	24 x 36	K11828	Carton	146	1000	16	16000
		K11992	Skid	146			9500
	25 x 38	K11829	Carton	160	1000	16	16000
		K11830	Skid	160			7500
	28 x 40	K11831	Carton	188	800	16	12800

100lb/148gsm

Brightness—90 Opacity—96 Paper Gloss—36 Caliper—.0052 PPI—386 ♻️10% recycled fiber ¹ SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ²	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
	24 x 36	K11834	Carton	182	800	16	12800
	25 x 38	K11835	Carton	200	800	16	12800

Flo Matte Text Reply Card

110lb/162gsm

Brightness—90 Opacity—97 Paper Gloss—15 Caliper—.0073 Guar. Caliper—7pt ¹ PPI—274 ♻️10% recycled fiber ² SFI Certified Sourcing Either FSC, SFI, or PEFC CoC certified ³	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
	19 x 25	K11090	Skid	110			11000
	23 x 35	K11096	Carton	186	800	16	12800
		K11091	Skid	186			5500
	25 x 38	K11098	Carton	220	700	16	11200
		K11093	Skid	220			5500
	28 x 40	K11099	Carton	260	600	16	9600
		K11094	Skid	260			5500

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

2 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

1 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.

2 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.

3 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

80lb/216gsm

Brightness—90
Opacity—98
Paper Gloss—36
Caliper—.0092
Guar. Caliper—9pt¹
PPI—218
100% recycled fiber²
SFI Certified Sourcing
Either FSC, SFI, or
PEFC CoC certified³

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
19 x 25	K11839	Carton	146	1100	16	17600
20 x 26	K12764	Carton	160	850	16	13600
23 x 35	K11102	Carton	248	600	16	9600
25 x 38	K11100	Skid	292			4250
26 x 40	K11104	Carton	320	500	16	8000
	K11840	Skid	320			4000
28 x 40	K11105	Carton	344	500	16	8000
	K11756	Skid	344			4200

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish. Sappi's use of recycled fiber is consistent with EPA definitions. Learn more about recycled fiber at sappi.com/RF.

- 1 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.
- 2 Flo sheets are sold standard with 10% recycled fiber. Flo web is available with 10% recycled fiber as a making item based on availability and applicable upcharges.
- 3 All Flo products are sold standard with SFI Certified Sourcing and either an FSC, SFI, or PEFC Chain-of-Custody (CoC) claim, based upon customer request and availability of credits.
- All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.



The fine line between reliable and remarkable.

When you need a dream on the surface and dependability on press. EuroArt Plus® is a smart choice for impressive performance. Engineered to provide exceptional on-press efficiency and reliable runnability, it has the brightness, shade, and ultrasmooth surface to ensure that color pops right off the page and delivers an incredible visual experience.

Postal guaranteed

EuroArt Plus 7pt and 9pt guaranteed calipers on covers are ideal for printing direct mail pieces and brochures that make a big impact while remaining cost-effective.

Style that excites

EuroArt Plus presents a sophisticated blue-white shade and high brightness. This print surface facilitates phenomenal image fidelity and superior color vibrancy that get messaging noticed.

A workhorse with versatility

EuroArt Plus, which features fast ink-drying times and outstanding folding performance, is HP Indigo certified and suitable for many other dry-toner digital printing presses. It's FSC certified and available in gloss and silk finishes to meet the needs of any job.

Stocked basis weights

Sheets				
TEXT OR COVER	BASIS WEIGHT (lb/gsm)	GUAR. CALIPER	GLOSS	SILK
Text	60/90		•	
	70/104		•	•
	80/118		•	•
	100/150		•	•
Cover	74/200	7pt ¹		
	80/216	7pt ¹	•	
	80/216	9pt ²		•
	92/250	9pt ²	•	
	100/275	9pt ²	•	•
	120/325		•	•
	130/350		•	•

Specifications

- FINISHES
- Gloss, Silk
- PUT UP
- Skids
- SHADE
- Blue white
- L*a*b PAPER WHITE SHEETS³
- 95.00, 1.25, -5.80
- CERTIFICATIONS
- Either FSC or PEFC
- CoC certified⁴

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish.

1 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.
2 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.
3 CIE L*a*b* values are approximate and in conformance with ISO 13655:2017. Data are specified according to the measurement condition M0, measured using an X-Rite eXact, configured to D50, 2° Standard Observer, 45/0 measurement geometry, with white (self) backing. Values may vary significantly when measured with different instruments. Average CIE L*a*b* data are presented for relative paper shade comparisons—not as product specifications. Paper white values specified according to the measurement condition M1 are available upon request.
4 All EuroArt Plus sheet products are sold standard with FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request a PEFC CoC claim, based on availability of credits. All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

EuroArt Plus Gloss Text

60lb/90gsm

Brightness—91 Opacity—92.0 Paper Gloss—65 Caliper—.0028 PPI—714 SFI Certified Sourcing Either FSC or PEFC CoC certified ¹	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
	23 x 29	K14090	Skid	84			11500
	23 x 35	K14070	Skid	102			11500
	24 x 36	K14026	Skid	110			11500
	25 x 38	K14071	Skid	120			11500
	28 x 40	K14072	Skid	142			11500

70lb/104gsm

Brightness—91 Opacity—93.5 Paper Gloss—65 Caliper—.0032 PPI—624 SFI Certified Sourcing Either FSC or PEFC CoC certified ¹	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
	19 x 25	K14073	Skid	70			20000
	23 x 29	K14076	Skid	98			10000
	23 x 35	K14103	Skid	119			10000
	24 x 36	K14027	Skid	128			10000
	25 x 38	K14084	Skid	140			10000
	28 x 40	K14028	Skid	166			10000

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish.

¹ All EuroArt Plus sheet products are sold standard with FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request a PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit *sappi.com* for the most up-to-date product specifications and available certifications.

EuroArt Plus Gloss Text

80lb/118gsm

Brightness—92 Opacity—95.0 Paper Gloss—65 Caliper—.0037 PPI—540 SFI Certified Sourcing Either FSC or PEFC CoC certified ¹	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
	12 x 18	K14145	Skid	36	500	72	36000
	13 x 19	K14146	Skid	42	500	72	36000
	29½ x 20 ¹³ / ₁₆	K14114	Skid	103			17000
	19 x 25	K14047	Skid	80			18000
	23 x 29	K14078	Skid	112			9000
	23 x 35	K14048	Skid	136			9000
	24 x 36	K14049	Skid	146			9000
	25 x 38	K14029	Skid	160			9000
	28 x 40	K14030	Skid	188			9000

100lb/150gsm

Brightness—92 Opacity—97.5 Paper Gloss—65 Caliper—.0048 PPI—416 SFI Certified Sourcing Either FSC or PEFC CoC certified ¹	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
	12 x 18	K14147	Skid	45	500	52	26000
	13 x 19	K14148	Skid	52	500	52	26000
	29½ x 20 ¹³ / ₁₆	K14115	Skid	129			13000
	19 x 25	K14031	Skid	100			14500
	23 x 29	K14075	Skid	140			7250
	23 x 35	K14050	Skid	169			7250
	24 x 36	K14032	Skid	182			7250
	25 x 38	K14033	Skid	200			7250
	28 x 40	K14034	Skid	236			7250

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish.

¹ All EuroArt Plus sheet products are sold standard with FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request a PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit *sappi.com* for the most up-to-date product specifications and available certifications.

EuroArt Plus Gloss Cover

80lb/216gsm

Brightness—92 Opacity—99.0 Paper Gloss—65 Caliper—.0074 Guar. Caliper—7pt ¹ PPI—270 SFI Certified Sourcing Either FSC or PEFC CoC certified ³							
Sheets							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET	
18 x 12	K14149	Skid	66	250	72	18000	
19 x 13	K14150	Skid	76	250	72	18000	
20 ¹³ / ₁₆ x 29 ¹ / ₂	K14116	Skid	189			8400	
19 x 25	K14055	Skid	146			9000	
23 x 35	K14056	Skid	248			4500	
24 x 36	K14151	Skid	266			4500	
25 x 38	K14041	Skid	292			4500	
26 x 40	K14086	Skid	320			4500	
28 x 40	K14042	Skid	344			4500	

92lb/250gsm

Brightness—92 Opacity—99.0 Paper Gloss—65 Caliper—.0093 Guar. Caliper—9pt ² PPI—214 SFI Certified Sourcing Either FSC or PEFC CoC certified ³							
Sheets							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET	
20 x 26	K14152	Skid	184			8000	
23 x 35	K14153	Skid	285			4000	
24 x 36	K14164	Skid	306			4000	
25 x 38	K14154	Skid	336			4000	
26 x 40	K14155	Skid	368			4000	
28 x 40	K14156	Skid	396			4000	

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish.

1 Guaranteed to meet US Postal Service 7-point minimum business-reply requirements.

2 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.

3 All EuroArt Plus sheet products are sold standard with FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request a PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

EuroArt Plus Gloss Cover

100lb/275gsm

Brightness—92 Opacity—99.0 Paper Gloss—65 Caliper—.0100 Guar. Caliper—9pt ¹ PPI—200 SFI Certified Sourcing Either FSC or PEFC CoC certified ²							
Sheets							
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET	
18 x 12	K14157	Skid	83	250	56	14000	
19 x 13	K14158	Skid	95	250	56	14000	
20 ¹³ / ₁₆ x 29 ¹ / ₂	K14117	Skid	236			6400	
19 x 25	K14057	Skid	183			7000	
20 x 29	K14074	Skid	200			7000	
23 x 29	K14077	Skid	257			3500	
23 x 35	K14058	Skid	310			3500	
24 x 36	K14091	Skid	332			3500	
25 x 38	K14044	Skid	366			3500	
26 x 40	K14085	Skid	400			3500	
28 x 40	K14045	Skid	430			3500	

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish.

1 Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.

2 All EuroArt Plus sheet products are sold standard with FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request a PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

EuroArt Plus Gloss Cover

120lb/325gsm

Brightness—92 Opacity—99.0 Paper Gloss—65 Caliper—.0123 PPI—164 SFI Certified Sourcing Either FSC or PEFC CoC certified ¹	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
	20 × 26	K14159	Skid	240			6000
	23 × 35	K14160	Skid	372			3000
	25 × 38	K14161	Skid	438			3000
	26 × 40	K14162	Skid	480			3000
	28 × 40	K14163	Skid	516			3000

130lb/350gsm

Brightness—92 Opacity—99.5 Paper Gloss—65 Caliper—.0135 PPI—148 SFI Certified Sourcing Either FSC or PEFC CoC certified ¹	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
	20 ¹³ / ₁₆ × 29 ¹ / ₂	K14118	Skid	307			4800
	28 × 40	K14059	Skid	560			2600

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish.

¹ All EuroArt Plus sheet products are sold standard with FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request a PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

EuroArt Plus Silk Text

70lb/104gsm

Brightness—92 Opacity—94.0 Paper Gloss—32 Caliper—.0038 PPI—526 SFI Certified Sourcing Either FSC or PEFC CoC certified ¹	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
	23 × 35	K14087	Skid	119			9000
	24 × 36	K14035	Skid	128			9000
	25 × 38	K14080	Skid	140			9000
	28 × 40	K14036	Skid	166			9000

80lb/118gsm

Brightness—92 Opacity—95.5 Paper Gloss—32 Caliper—.0043 PPI—466 SFI Certified Sourcing Either FSC or PEFC CoC certified ¹	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
	12 × 18	K14139	Skid	36	500	64	32000
	13 × 19	K14140	Skid	42	500	64	32000
	29 ¹ / ₂ × 20 ¹³ / ₁₆	K14111	Skid	103			15000
	19 × 25	K14081	Skid	80			16000
	23 × 35	K14079	Skid	136			8000
	24 × 36	K14037	Skid	146			8000
	25 × 38	K14046	Skid	160			8000
	28 × 40	K14038	Skid	188			8000

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish.

¹ All EuroArt Plus sheet products are sold standard with FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request a PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

EuroArt Plus Silk Text

100lb/150gsm

Brightness—92 Opacity—98.0 Paper Gloss—32 Caliper—.0054 PPI—370 SFI Certified Sourcing Either FSC or PEFC CoC certified ¹	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
	12 x 18	K14141	Skid	45	500	48	24000
	13 x 19	K14142	Skid	52	500	48	24000
	29½ x 20 ¹³ / ₁₆	K14112	Skid	129			12000
	19 x 25	K14060	Skid	100			12000
	24 x 36	K14039	Skid	182			6000
	25 x 38	K14061	Skid	200			6000
	28 x 40	K14062	Skid	236			6000

EuroArt Plus Silk Cover

80lb/216gsm

Brightness—92 Opacity—99.0 Paper Gloss—32 Caliper—.0093 Guar. Caliper—9pt ¹ PPI—214 SFI Certified Sourcing Either FSC or PEFC CoC certified ²	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
	18 x 12	K14143	Skid	66	250	64	16000
	19 x 13	K14144	Skid	76	250	64	16000
	19 x 25	K14169	Skid	146			9000
	20 ¹³ / ₁₆ x 29½	K14113	Skid	189			8000
	23 x 35	K14125	Skid	248			4000
	24 x 36	K14129	Skid	266			4000
	25 x 38	K14123	Skid	292			4000
	26 x 40	K14126	Skid	320			4000
	28 x 40	K14124	Skid	344			4000

100lb/275gsm

Brightness—92 Opacity—99.0 Paper Gloss—35 Caliper—.0105 Guar. Caliper—9pt ¹ PPI—190 SFI Certified Sourcing Either FSC or PEFC CoC certified ²	Sheets						
	SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
	18 x 12	K14130	Skid	83	250	56	14000
	19 x 13	K14131	Skid	95	250	56	14000
	20 ¹³ / ₁₆ x 29½	K14109	Skid	236			6000
	23 x 35	K14088	Skid	310			3500
	24 x 36	K14132	Skid	332			3750
	25 x 38	K14051	Skid	366			3500
	26 x 40	K14082	Skid	400			3500
	28 x 40	K14052	Skid	430			3500

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish.

¹ All EuroArt Plus sheet products are sold standard with FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request a PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish.

¹ Guaranteed to meet US Postal Service 9-point minimum business-reply requirements.

² All EuroArt Plus sheet products are sold standard with FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request a PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.

120lb/325gsm

Brightness—92
Opacity—99.0
Paper Gloss—35
Caliper—.0132
PPI—152
SFI Certified Sourcing
Either FSC or PEFC
CoC certified¹

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
20 x 26	K14133	Skid	240			5500
23 x 35	K14134	Skid	372			3000
25 x 38	K14135	Skid	438			2875
26 x 40	K14136	Skid	480			2875
28 x 40	K14137	Skid	516			2875

130lb/350gsm

Brightness—92
Opacity—99.5
Paper Gloss—35
Caliper—.0145
PPI—138
SFI Certified Sourcing
Either FSC or PEFC
CoC certified¹

Sheets						
SIZE	CODE	PUT UP	M WEIGHT	SHEETS/ CARTON	CARTONS/ PALLET	SHEETS/ PALLET
20 ¹³ / ₁₆ x 29 ¹ / ₂	K14110	Skid	307			4400
20 x 26	K14138	Skid	260			5000
23 x 35	K14053	Skid	403			2500
28 x 40	K14054	Skid	560			2500

Mill certifications and recycling efforts

Sappi approaches paper holistically, using renewable energy and resources to create a recyclable and sustainable product. We use third-party forestry certification programs to ensure that our wood and pulp suppliers are adhering to responsible forestry practices—helping paper to continue to be one of the most sustainable mediums for communication. All of Sappi North America’s US-based coated paper and packaging mills are triple certified in accordance with the leading global sustainable forestry chain of custody certification systems, including the Sustainable Forestry Initiative® (SFI) program, the Programme for the Endorsement of Forest Certification™ (PEFC), and the Forest Stewardship Council® (FSC-C014955).

Product certifications are available upon request. Please visit sappi.com or email samplesNA@sappi.com for the most up-to-date product specifications and available certifications.

All grades are acid-free and manufactured with virgin pulp produced with elemental chlorine-free (ECF) bleaching. Caliper is an approximation only and cannot be guaranteed except where indicated. Non-caliper guaranteed grades are manufactured to weight and finish.

¹ All EuroArt Plus sheet products are sold standard with FSC Chain-of-Custody (CoC) Mix Credit claims. Alternatively, customers may request a PEFC CoC claim, based on availability of credits.

All values listed are approximate and subject to change. Please visit sappi.com for the most up-to-date product specifications and available certifications.



Sustainable Forestry Initiative (SFI®)

The SFI program is based on the premise that responsible environmental behavior and sound business decisions can coexist. SFI program participants practice sustainable forestry on all lands they manage and influence millions of additional acres through the training of loggers and foresters in best management practices and landowner outreach programs. The SFI Forest Management Standard is internationally endorsed by PEFC.



Programme for the Endorsement of Forest Certification (PEFC™)

PEFC is a global nonprofit, nongovernmental organization that works throughout the entire forest supply chain to promote good practices in the forest and to ensure forests are harvested and managed using the highest ecological, social, and ethical standards.



Forest Stewardship Council (FSC®)

FSC is a global nonprofit entity that supports environmentally appropriate, socially beneficial, and economically viable management of the world's forests. FSC independently tracks, traces, and identifies wood fibers from the forest through every step of the procurement, manufacturing, and printing process, confirming that each supplier in the chain follows rigorous controls, management, and reporting practices.



Recycling Logo

Using a recycle logo reminds consumers that recycling paper is an easy way to reduce their environmental impact across the life cycle of printed materials.

Need inspiration? We have created a library of unique and fun recycling logos, free for anyone to use. To download high-resolution versions, visit us at sappi.com/recycling-logo-library.



Sappi e-commerce

A customer portal delivering seamless access to information, at your fingertips 24/7. Track the status of your orders, view all open orders, and bookmark the important ones.

- Check inventory in real time.
- View production schedules, including closed mill runs.
- Access your order-related documents (order confirmations, weight lists, invoices, etc.).
- Submit transit claims and returns.
- Use a variety of paper and paperboard calculators.
- Show the environmental impact of a print job with the eQ Calculator.

Register today at www.ecommerce.sappi.com/

Contact Information

Sappi Global Head Offices

Sappi Europe Glaverbel Building 166 Chaussée de la Hulpe 1170 Brussels Belgium Tel +32 (0)2 676 9700	Sappi Limited 108 Oxford Road Rosebank Johannesburg, 2196 South Africa Tel +27 (0)11 407 8111	Sappi Trading 28/F, One Pacific Centre 414 Kwun Tong Road Kwun Tong Kowloon, Hong Kong Tel +852 2877 4855
	Sappi North America 255 State Street Boston, MA 02109 United States of America Tel +1 617 423 7300	

Sappi North America Graphics and Packaging Regional Sales Offices

Great Lakes 1717 Dixie Highway, 150B Fort Wright, KY 41011 United States of America Tel +1 888 739 6601	Northern/ National Accounts/ Publishing 287 Bowman Avenue Suite 225 Purchase, NY 10577 United States of America Tel +1 914 696 5544	Southern 3700 Mansell Road Suite 140 Alpharetta, GA 30322 United States of America Tel +1 404 751 2600
		Western 333 South Anita Drive Suite 840 Orange, CA 92868 United States of America Tel +1 714 456 0600

Sappi North America Inside Sales

Great Lakes Tel +1 866 Sappi 11 (+1 866 727 7411)	Northern Tel +1 866 Sappi 10 (+1 866 727 7410)	Western Tel +1 866 Sappi 16 (+1 866 727 7416)
National Accounts/ Publishing Tel +1 866 478 2932	Southern Tel +1 866 Sappi 15 (+1 866 727 7415)	Sappi Samples <i>sappisamples.com</i>

The names, symbols, logos, and all other intellectual property of the companies, brands, and people appearing herein are the exclusive property of their respective owners and should not be interpreted as an endorsement of or by Sappi; any legal and equitable rights in their intellectual property are exclusively reserved to those owners.

The data, specifications, and/or certifications provided herein are current as of the date of printing, and may change without notice at Sappi's discretion.

Sappi is a trademark of Sappi Limited, and EUROART and GALERIE are trademarks of Sappi Europe. MCCOY, SPECTRO, OPUS, SOMERSET and FLO are trademarks of Sappi North America, registered in the U.S. and other countries.

© 2023 Sappi North America, Inc. All rights reserved.



Sappi North America
255 State Street
Boston, MA 02109
www.sappi.com

The Fine Line of Sappi Papers

Our products

We engineer our products to meet specific user needs, but there are several attributes you'll get from every piece of Sappi paper:

- Superior quality
- High-grade fiber
- Smooth printing surface
- Consistent press performance
- Dependability in the toughest printing environments
- Superior ink hold-out for full color intensity
- Uniform color reproduction
- Side-to-side consistency
- Tight variability tolerances
- Manufactured in the USA (McCoy, Spectro, Opus, Somerset, and Flo)

Pioneering research and innovation

At Sappi, our passion for paper can be traced back over 165 years and is what guides us today. Our history of industry firsts includes the first paper coated and calendered on two sides, the first dull-coated paper, and the first mill-branded paper. Our innovative spirit is also demonstrated in initiatives like *Sappi etc.* and *Ideas that Matter*, which provide thought leadership for the entire paper industry.

Sustainability

When you commit to a print campaign, you should be confident in your paper company's approach to sustainability. That's why we take a holistic view of our environmental responsibilities—from harvest through manufacturing, distribution, end use, and disposal. From beginning to end, we infuse environmental and social responsibility into our paper, processes and people, in order to give you one less thing to worry about.

For product-specific environmental information, go to sappi.com/coc-options.

Best-in-class service

We go way beyond technical specifications to help you choose the right paper for your brand and campaign needs. And once you're on press, our trusted printer technical support team stands ready to make sure your project turns out just right.